


# Standard Dome Accessories


Accessories for Indoor/Outdoor Ceiling, Wall, Pole and Corner Mounting Solutions




**Ceiling Mount Configuration**




**Wall Mount Configuration with Pole Mount Adapter**




**Wall Mount Configuration**



**Wall Mount Configuration with Corner Mount Adapter**



**Cap Options:**



**Compatible Cameras:**



\* Can be switched with SO3-CAP, SV-CAP or MD-CAP

## AV-EBAR

Electrical Box Adapter Round




**Features:**

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 3/4" NPT standard
	Works with MegaBall® Series, MegaDome® Series, MicroDome® Series -S cameras, SurroundVideo® Series, SurroundVideo® Omni Series, MegaVideo® D4SO Housing, MCD-CMT and MB2-JBA

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone Cool Gray 1C)
	<b>Dimensions</b>	Ø6" (152.4mm) x 0.15" W (4mm)
<b>Weight</b>	<b>w/o Camera</b>	0.4lbs (0.18kg)



Hole No.	Model Compatibility
1	MegaBall Series Wall Mount (legacy), MCD-CMT
2	MegaBall Series Dome Mount
3	MegaBall Series Bell Mount, MicroDome Series Surface Mount*
4	MegaDome 2*, SurroundVideo Series Panoramics*, MegaVideo D4SO Housing, MB2-JBA
5	4S Box
6	4-11/16" Square Box
7	Single Gang Box
8	Double Gang Box
9	SurroundVideo Omni Series

\* The mounting plate on MegaDome 4K, SurroundVideo G5 Mini, and MicroDome Duo negate the need for a separate electrical box adapter and therefore this accessory is not applicable.

**Quick Installation:**

1. Pass cables through the center hole of the adapter plate.
2. Attach the adapter plate to the electrical box (sold separately) using the appropriate hardware and mounting holes.
3. Attach the compatible part noted above.

## AV-EBAS

Electrical Box Adapter Square




**Features:**

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 3/4" NPT standard
	Works with MegaDome® Series, MegaView® Series, MicroBullet®, SurroundVideo® Panoramic Series, MegaVideo® D4SO Housing, AV-JBA, AV-WMJJB, AV-SWMJJB, MCD-WMT, MDD-WMT, HSG2-WMT, and AV-PMJJB

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone Cool Gray 1C)
	<b>Dimensions</b>	4.7" L (120mm) x 0.15" W (4mm) x 4.7" H (120mm)
<b>Weight</b>	<b>w/o Camera</b>	0.33lbs (0.13kg)



Hole No.	Model Compatibility
1	AV-JBA, AV-WMJJB, AV-PMJJB, MegaDome 2*, MegaView 2 (standard), SurroundVideo Panoramics*, MegaVideo D4SO Housing
2	HSG2-WMT, AV-WMJJB bracket, AV-PMJJB bracket, MegaView 2 bracket
3	AV-SWMJJB, MCD-WMT, MDD-WMT
4	MicroBullet
5	Single Gang Box
6	Double Gang Box
7	4S Box
8	4-11/16" Square Box

\* The mounting plate on MegaDome 4K and SurroundVideo G5 Mini negate the need for a separate electrical box adapter and therefore this accessory is not applicable.

**Quick Installation:**

1. Pass cables through the center hole of the adapter plate.
2. Attach the adapter plate to the electrical box (sold separately) using the appropriate hardware and mounting holes.
3. Attach the compatible part noted above.



## AV-PMJB



Pendant Mount Bracket with Junction Box






### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT Female
	Works with SurroundVideo® Series, MegaDome® 4K, MegaDome® Series, and MegaVideo® Compact D4SO

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	5.87" H (149.31mm) x 4.69" W (119.20mm)
<b>Weight</b>	<b>w/o Camera</b> 2.12lbs (0.96kg)	



## AV-WMJB



Wall Mount Bracket with Junction Box






### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT Female
	Works with SurroundVideo® Series, MegaDome® 4K, MegaDome® Series, and MegaVideo® Compact D4SO

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	7.68" L (195.05mm) x 4.69" W (119.20mm)
<b>Weight</b>	<b>w/o Camera</b> 2.49lbs (1.13kg)	



## AV-PMA

Pole Mount Adapter





### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage


**Compatibility** Works with AV-WMJJB, AV-SWMJJB, MDD-WMT, MCD-WMT, and AV-JBA

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	5.01" W (127.32mm) x 4.92" H (125mm)
	<b>Weight</b>	<b>w/o Camera</b> 0.32lbs (0.15kg)



## AV-CRMA

Corner Mount Adapter





### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

**Compatibility** Works with AV-WMJJB, AV-SWMJJB, MDD-WMT, MCD-WMT, and AV-JBA

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	13.04" W (331.25mm) x 4.92" H (125mm)
	<b>Weight</b>	<b>w/o Camera</b> 0.59lbs (0.27kg)



## SO3-CAP

Mounting Cap




**Features:**

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT Male
	Works with SurroundVideo® Omni G3

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
<b>Color</b>	Ivory (Pantone® Cool Gray 1C)	
<b>Dimensions</b>	Ø 8.9" (227.4mm) x 1.8" H (46.5mm)	
<b>Weight</b>	<b>w/o Camera</b>	1.22lbs (0.55kg)



## SO-CAP

Mounting Cap




**Features:**

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT Male
	Works with SurroundVideo® Omni and SurroundVideo® Omni G2

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
<b>Color</b>	Ivory (Pantone® Cool Gray 1C)	
<b>Dimensions</b>	Ø 7.87" (200mm) x 1.6" H (40.79mm)	
<b>Weight</b>	<b>w/o Camera</b>	0.85lbs (0.39kg)



## SV-CAP

Mounting Cap




**Features:**

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT standard
	Works with SurroundVideo®** and SurroundVideo® G5

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 7.4" (189mm) x 4.33" H (110mm)
	<b>Weight</b>	<b>w/o Camera</b> 1.47lbs (0.69kg)



## MD-CAP

Mounting Cap




**Features:**

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 1.5" NPT standard
	Works with MegaDome® 4K, MegaDome® Series, SurroundVideo® G5 Mini and MegaVideo® Compact D4SO

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 6.06" (154.1mm) x 2.57" H (65.3mm)
	<b>Weight</b>	<b>w/o Camera</b> 1.02lbs (0.465kg)



\*\* SurroundVideo models with WDR are compatible with MD-CAP and AV-FMA accessories due to their smaller form factor housing

## SO3-FMA

Flush Mount Adapter




**Features:**

- Easy Installation and Superior Design
- Low Profile Installation

**Compatibility** Works with SurroundVideo® Omni G3

<b>Mechanical</b>	<b>Casing</b>	Aluminum and Plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 11.2" (285.2mm) x 3.21" H (81.7mm)
	<b>Weight</b>	<b>w/o Camera</b> 2.43lbs (1.1kg)



## SV-FMA

Flush Mount Adapter




**Features:**

- Easy Installation and Superior Design
- Low Profile Installation

**Compatibility** Works with SurroundVideo®\*\* and SurroundVideo® G5

<b>Mechanical</b>	<b>Casing</b>	Aluminum and Plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 8.54" (217mm) x 2.92" H (74.2mm)
	<b>Weight</b>	<b>w/o Camera</b> 1.3lbs (0.59kg)



## SO-FMA

Flush Mount Adapter




**Features:**

- Easy Installation and Superior Design
- Low Profile Installation

**Compatibility** Works with SurroundVideo® Omni and SurroundVideo® Omni G2

<b>Mechanical</b>	<b>Casing</b>	Aluminum and Plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 9.46" (240.3mm) x 2.67" H (67.9mm)
	<b>Weight</b>	<b>w/o Camera</b> 1.15lbs (0.52kg)



## AV-FMA

Flush Mount Adapter




**Features:**

- Easy Installation and Superior Design
- Low Profile Installation

**Compatibility** Works with MegaDome® 4K, MegaDome® Series, SurroundVideo® G5 Mini and MegaVideo® Compact D4SO

<b>Mechanical</b>	<b>Casing</b>	Aluminum and Plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 7.36" (187mm) x 3.9" H (99.1mm)
	<b>Weight</b>	<b>w/o Camera</b> 1.10lb (0.5kg)



\*\* SurroundVideo models with WDR are compatible with MD-CAP and AV-FMA accessories due to their smaller form factor housing



## AV-JBA

Square Junction Box Adapter




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 3/4" NPT standard
	Works with AV-PMJB***, AV-WMJB***, HSG2-WMT, and MegaView® 2***

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	4.7" L (120mm) x 4.7" W (120mm) x 1.89" H (48.1mm)
<b>Weight</b>	<b>w/o Camera</b>	1.3lbs (0.63kg)



## MD-JBA

Round Junction Box Adapter




### Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

<b>Compatibility</b>	Compatible with 3/4" NPT standard
	Works with MegaDome® 4K, MegaDome® Series, SurroundVideo® G5 Mini and MegaVideo® Compact D4SO

<b>Mechanical</b>	<b>Casing</b>	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	Ø 6.06" (154mm) x 1.5" H (40mm)
<b>Weight</b>	<b>w/o Camera</b>	1lbs (0.45kg)



## SO-SSA

Sun Shield Accessory


### Features:

- Easy Installation and Superior Design
- Protects SurroundVideo Omni Series Sensors from Sun Glare



<b>Compatibility</b>	Works with SurroundVideo® Omni and SurroundVideo® Omni G2
----------------------	---

<b>Mechanical</b>	<b>Casing</b>	Plastic
	<b>Color</b>	Ivory (Pantone® Cool Gray 1C)
	<b>Dimensions</b>	11.03" L (280.22mm) x 0.79" H (20.25mm)
	<b>Weight</b>	<b>w/o Camera</b>



\*\*\* Replacement part for these models

Rev 004.002 © 2017 Arecont Vision®. All rights reserved. Arecont Vision, the Arecont Vision logo, and MegaBall, MegaDome, MegaView, MegaVideo, MicroDome, MicroBullet, and SurroundVideo are registered trademarks of the company.

