PHDD-2501



WD Ultrastar 4TB 3.5" Hard Disk Drive, 7200 RPM 256MB Cache

Specifications

Device

Original Model HUS726T4TALE6L4 Description WD Ultrastar 4TB 3.5" Hard Disk Drive, 7200 RPM 256MB Cache General Disk Interface SATA 6Gb/s Capacity 4 TB Cache 256MB RPM 7200 RPM	Original Manufacturer	Western Digital
Description WD Ultrastar 4TB 3.5" Hard Disk Drive, 7200 RPM 256MB Cache General Disk Interface SATA 6Gb/s Capacity 4 TB Cache 256MB RPM 7200 RPM Read/Write Speed 600 MB/s Form Factor 3.5" Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	Product Type	Hard Disk
General Disk Interface SATA 6Gb/s Capacity 4 TB Cache 256MB RPM 7200 RPM Read/Write Speed 600 MB/s Form Factor 3.5" Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	Original Model	HUS726T4TALE6L4
Disk Interface SATA 6Gb/s Capacity 4 TB Cache 256MB RPM 7200 RPM Read/Write Speed 600 MB/s Form Factor 3.5" Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	Description	WD Ultrastar 4TB 3.5" Hard Disk Drive, 7200 RPM 256MB Cache
Capacity 4 TB Cache 256MB RPM 7200 RPM Read/Write Speed 600 MB/s Form Factor 3.5" Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	General	
Cache 256MB RPM 7200 RPM Read/Write Speed 600 MB/s Form Factor 3.5" Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	Disk Interface	SATA 6Gb/s
RPM 7200 RPM Read/Write Speed 600 MB/s Form Factor 3.5" Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	Capacity	4 TB
Read/Write Speed 600 MB/s Form Factor 3.5" Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	Cache	256MB
Form Factor 3.5" Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	RPM	7200 RPM
Weight 715g (1.57lb) Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	Read/Write Speed	600 MB/s
Dimensions (W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")	Form Factor	3.5"
	Weight	715g (1.57lb)
Warranty 3 Year(s)	Dimensions	(W x H x D): 101.6mm x 25.4mm x 147mm (4" x 1" x 5.78")
	Warranty	3 Year(s)

ENR-420-4TB

Ordering Information

ENR-140-4TB 16-Channel 4-Bay Bundled 4TB Desktop Standalone NVR with Reco Access, Video Export, 16-Channel Synchronized Playback, 16-channel DHCP Server, 4-Bay (One 4TB storage disk included), AC 100-240\	el free license included, Plug & Play with Built-in
--	---

16-Channel 4-Bay Bundled 4TB Rackmount Standalone NVR with Recording Throughput 300 Mbps, HDMI Port, Remote Access, Video Export via USB, 4-Channel Synchronized Playback, 16-channel free license included, Supports External Storage (iSCSI), Plug & Play with Built-in DHCP Server, 4-Bay (One 4TB storage disk included), Audio, DI/DO, AC 100-240V

Related Products

NVR - Standalone NVR	
ENR-010P	4-Channel 1-Bay Mini Standalone NVR with 4-port PoE connectors, Recording Throughput 16 Mbps, HDM Port, Remote Access, Video Export via USB, 4-Channel Synchronized Playback, 4-channel free license included, Plug & Play with Built-in DHCP Server, 1-Bay (Storage Disks not included), DC 48V
ENR-020P	9-Channel 1-Bay Mini Standalone NVR with 8-port PoE connectors, Recording Throughput 36 Mbps, HDM Port, Remote Access, Video Export via USB, 9-Channel Synchronized Playback, 9-channel free license included, Plug & Play with Built-in DHCP Server, 1-Bay (Storage Disks not included), DC 48V
ZNR-120P	4-Channel 1-Bay Mini Standalone NVR with 4-port PoE Connectors, Recording Throughput 40 Mbps, Insta Playback, HDMI and VGA Port, Remote Access, Video Export via USB, 4-Channel Synchronized Playback Plug & Play with Built-in DHCP Server, 1-Bay (Storage Disks not included), Audio, DC 48V
ZNR-121P	8-Channel 1-Bay Mini Standalone NVR with 8-port PoE Connectors, Recording Throughput 60 Mbps, Insta Playback, HDMI and VGA Port, Remote Access, Video Export via USB, 8-Channel Synchronized Playback Plug & Play with Built-in DHCP Server, 1-Bay (Storage Disks not included), Audio, DC 52V
ZNR-126	8-Channel 1-Bay Mini Standalone NVR with Recording Throughput 64 Mbps, Instant Playback, HDMI and VGA Port, Remote Access, Video Export via USB, 8-Channel Synchronized Playback, Plug & Play with Buin DHCP Server, 1-Bay (Storage Disks not included), Audio, DC 12V
ZNR-127	16-Channel 1-Bay Mini Standalone NVR with Recording Throughput 64 Mbps, Instant Playback, HDMI and VGA Port, Remote Access, Video Export via USB, 16-Channel Synchronized Playback, 1-Bay (Storage Disks not included), Audio, DC 12V
ENR-130	16-Channel 2-Bay Desktop Standalone NVR with Recording Throughput 48 Mbps, HDMI Port, Remote Access, Video Export via USB, 16-Channel Synchronized Playback, 16-channel free license included, Plug Play with Built-in DHCP Server, 2-Bay (Storage Disks not included), DC 12V
ZNR-221P	16-Channel 2-Bay Desktop Standalone NVR with 16-port PoE Connectors, Recording Throughput 160 Mb Instant Playback, HDMI and VGA Port, Remote Access, Video Export via USB, 16-Channel Synchronized Playback, Plug & Play with Built-in DHCP Server, 2-Bay (Storage Disks not included), Audio, DI/DO, AC 1 240V

GNR-340	9	72-Channel 5-Bay Tower Standalone NVR with Recording Throughput 180 Mbps, Instant Playback, e-Map, HDMI, DVI and Display port, Remote Access, Video Export, 64-Channel Synchronized Playback, 32-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), 5-Bay (Storage Disks not included), Audio, AC 100-240V
INR-350		64-Channel 2-Bay Tower Standalone NVR with Recording Throughput 500 Mbps, Instant Playback, e-Map, HDMI, VGA and Display port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), 2-Bay (Storage Disks not included), Audio, AC 100-240V
ENR-421		32-Channel 4-Bay Rackmount Standalone NVR with Recording Throughput 300 Mbps, HDMI Port, Remote Access, Video Export via USB, 16-Channel Synchronized Playback, 32-channel free license included, Supports External Storage (iSCSI), Plug & Play with Built-in DHCP Server, 4-Bay (Storage Disks not included), Audio, DI/DO, AC 100-240V
INR-406		128-Channel 8-Bay RAID Rackmount Standalone NVR with Recording Throughput 340 Mbps, Instant Playback, e-Map, HDMI, DVI and Display port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Hardware RAID 0,1,5,6, 10, 50, 60, 8-Bay (Storage Disks not included), Audio, AC 100-240V
INR-407		256-Channel 8-Bay RAID Rackmount Standalone NVR with Recording Throughput 550 Mbps, Instant Playback, e-Map, HDMI, DVI and Display port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Hardware RAID 0,1,5,6, 10, 50, 60, 8-Bay (Storage Disks not included), Audio, AC 100-240V
INR-411		256-Channel 12-Bay RAID Rackmount Standalone NVR with Recording Throughput 550 Mbps, Instant Playback, e-Map, HDMI, VGA, DVI and Display port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Hardware RAID 0,1,5,6, 10, 50, 60, 12-Bay (Storage Disks not included), Audio, AC 100-240V
INR-413		256-Channel 16-Bay RAID Rackmount Standalone NVR with Instant Playback, e-Map, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Hardware RAID 0,1,5,6, 10, 50, 16-Bay (Storage Disks not included), Audio, AC 100-240V
INR-415		256-Channel 12-Bay RAID Rackmount Standalone NVR with Recording Throughput 550 Mbps, Instant Playback, e-Map, HDMI, DVI and Display port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Supports External Storage (iSCSI), Hardware RAID 0,1,5,6, 10, 50, 60, 12-Bay (Storage Disks not included), AC 100-240V
INR-440		200-Channel 12-Bay RAID Rackmount Standalone NVR with Redundant Power Supply, Recording Throughput 300 Mbps, Instant Playback, e-Map, VGA Port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Supports External Storage (SAS, iSCSI), Hardware RAID 0, 1, 5, 6, 10, 50, 60, 12-Bay (Storage Disks not included), AC 100-240V

INR-450



200-Channel 12-Bay RAID Rackmount Standalone NVR with Redundant Power Supply, Additional Computing Power, Recording Throughput 300 Mbps, Instant Playback, e-Map, VGA Port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Supports External Storage (iSCSI), Hardware RAID 0, 1, 5, 6, 10, 50, 60, 12-Bay (Storage Disks not included), AC 100-240V

INR-470



200-Channel 12-Bay RAID Rackmount Standalone NVR with Redundant Power Supply, Additional Computing Power, Recording Throughput 500 Mbps, Instant Playback, e-Map, VGA Port, Remote Access, Video Export, 64-Channel Synchronized Playback, 64-channel free license included (for ACTi video devices) and additional license required (for integration with POS, access control and extended devices), Supports External Storage (iSCSI), Hardware RAID 0, 1, 5, 6, 10, 50, 60, 12-Bay (Storage Disks not included), AC 100-240V

ZNR-423



32-Channel 4-Bay Rackmount Standalone NVR with Recording Throughput 160 Mbps, Instant Playback, HDMI and VGA Port, Remote Access, Video Export via USB, 16-Channel Synchronized Playback, Plug & Play with Built-in DHCP Server, 4-Bay (Storage Disks not included), Audio, DC 12V

Control Center - Standalone CMS

CMS-201



6400-Channel 1-Bay Rackmount Standalone CMS with 64-channel display layout, e-Map, HDMI, DVI and Display port, Remote Access, Video Export, 64-Channel Synchronized Playback, 200-channel free license included, 1-Bay (Storage Disks not included), Audio, AC 100-240V

Control Center - Standalone TV Wall

TVW-301



4-Monitor 2-Bay Tower Standalone TV Wall with Video monitoring through CMS server, 64-channel display layout, e-Map, HDMI, DVI and Display port, No License Required, 2-Bay (1 System Disk included), Audio, AC 100-240V

Access Control System - Access Control Server

ACS-402



System Health Management System - System Health Management Server

SHM-102



200-Channel 1-Bay Mini Standalone System Health Management Server with HDMI, DVI and Display port, 1-channel free license included, 1-Bay (One 2TB storage disk included), Audio, AC 100-240V

Network & Storage Peripherals - Extended Storage Device

PSTR-0201



PROWARE EP-2123-UA-R 2U 12-Bay eSata USB RAID Storage Device (for GNR-3000, GNR and INR Series except INR-440, INR-450)

PSTR-0403



2U 12-Bay NAS RAID Storage Device (for MNR-320P, MNR-330P, and all GNR and INR Series)

Computers - Server

PCR-204



4-Bay 1U Rackmount Server with Intel® Core™ i7-8700K Processor, Windows 10, 128GB SSD system drive, HDMI, 4-Bay (Storage Disks not included), USB, AC 100-240V



