



Firmware Release Notes

A1D-900-**A6.03.00**-AC



Legal Notice

Disclaimer

- The information contained in this document is intended for general information purposes. ACTi Corporation shall not be liable for errors contained herein or for incidental or consequential damages arising from the furnishing, performance, or use of this document.
- The information contained herein is subject to change without notice.

Copyright

Copyright ©2003-2020 ACTi Corporation All Rights Reserved.

Contents

| | | |
|----------|---|----------|
| 1 | Firmware Version | 4 |
| <hr/> | | |
| | New Features | 4 |
| | Enhancements | 4 |
| | Issue Solved..... | 5 |
| | Remark..... | 5 |
| | Supported Languages | 5 |
| | Supported Video Management System | 5 |
| | | |
| 2 | Download and Documentation | 1 |
| | | |
| 3 | Support | 1 |
| <hr/> | | |

Firmware Version

Firmware Version: [A1D-900-A6.03.00-AC](#)

Release Date: 2020.10.12

Compatible Models: A49, A95, A96

New Features

1. (A6.03.00) Add the option to enable or disable HTTP server service for camera's web page.
2. (A6.02.02) Support ONVIF profile T and profile Q.
3. (A6.02.02) The login account will no longer have the default password, and the camera will require a user to set a new password before access the camera or connecting it to any NVR servers for the first time.
4. (A6.02.02) Add "Play the audio file" in event response.
5. (A6.02.02) Add tamper configurations to adjust the sensitivity of tamper detection.
6. (A6.01.08) The login account will no longer have the default password, and the camera will require a user to set a new password before access the camera or connecting it to any NVR servers for the first time.
7. (A6.01.08) Support ONVIF Profile Q and pass the ONVIF Device Test Tool v19.06.
8. (A6.01.08) Supported new models: A49, A95, A96

Enhancements

1. (A6.02.02) Add the icon to show visible password with actual characters or hide the password behind asterisks.
2. (A6.02.02) Update ActiveX control as higher version.
3. (A6.02.02) Security enhancement on URL commands.
4. (A6.02.02) The password length requirement for user's account is 6 to 63 characters for password guessing and security enhancement.
5. (A6.02.02) HTTPS is enabled and built-in self-signed certificate as default.
6. (A6.02.02) Compatible with IP Utility v5.0.0.4 and newer versions, to be able to set root password and change network configurations without root login for conveniently installing IP camera in the networking environment without DHCP server.

7. (A6.02.02) Support upcenter and downcenter positions on OSD.

Issue Solved

1. (A6.01.08) Fixed no video feed with camera firmware A6.01.06

Remark

1. The maximum concurrent video connections will be limited by device's networking throughput.
2. ANS (ACTi Notification Services) is ACTi's implementation of Amazon SNS through the usage of ACTi's server domain and ACTi's member center accounts. Please contact us for more information regarding Notification Services.
3. The supported capacity of the Micro SD card is up to 128GB.

Supported Languages

Czech, Dutch, English, French, Hebrew, Hungarian, Italian, Japanese, Korean, Mongolian, Polish, Romanian, Russian, Spanish, Simplified Chinese and Traditional Chinese.

Supported Video Management System

For supported ACTi VMS list, please refer to

<http://www.acti.com/UnifiedSolution>

For supported Third-party Software Integration list, please refer to

<http://www.acti.com/3rdpartysoftware>

Download and Documentation

A6.03.00 is official released, the Firmware User Manual and Release Notes are available for download on ACTi.

You may also visit ACTi Download Center for updates and documents

<http://www.acti.com/downloadcenter>

Support

If you have any question or need additional assistance, please feel free to contact our engineers via our **Customer Help Desk** platform <http://www.acti.com/CHD>