



Ikegami Electronics (U.S.A.), Inc.
300E Route 17 South, Mahwah, N. J. 07430-2141
ph: (800) 368-9171 fax (201) 569-1626
URL: www.ikegami.com/security
email: CCTV@ikegami.com

CCTV MSRP Price Sheet



**ATM, Board, &
Cube Cameras**



Dome Cameras



**WiDy1 Compact Cube
Color Cameras**



**IP: Internet Protocol &
IP Ready Cameras**



**Bullet & Mini
Bullet Cameras**



**Elevator &
Compact Cube
Cameras**



**Covert & PTZ
Cameras**



**DVR / NVR
Video Recorders
& Lock box**



Monitors



**Housings, Mounts, Lens,
Power Supplies, etc...**

Web Site

Contact Info

Warranty

Your Ikegami CCTV Support

**Ruben Furcayg**

*National Sales Manager
Closed Circuit Video Systems
Visual Electronics & Systems Division*

Ikegami Electronics (U.S.A.), Inc.

300 Route 17 South, Mahwah, NJ 07430-2141

Tel: (201) 368-9171 ext. 211
Cell: (914) 260-9011

www.ikegami.com
ruben@ikegami.com

**Masanobu Takei**

*Manager of Engineering
Visual Electronics & Systems*

Ikegami Electronics (U.S.A.), Inc.

300 Route 17 South, Mahwah, NJ 07430-2141

Tel: (201) 368-9171 ext. 218
Fax: (201) 569-1626

www.ikegami.com
mtakei@ikegami.com

**Joe Ponzo**

Inside Sales Coordinator

Ikegami Electronics (U.S.A.), Inc.

300E Route 17 South, Mahwah, NJ 07430-2141

Tel: (201) 368-9171 ext. 254
Fax: (201) 569-1626

www.ikegami.com
jponzo@ikegami.com

**Joye Hylton**

Sales Assistant

Ikegami Electronics (U.S.A.), Inc.

300 Route 17 South, Mahwah, NJ 07430-2141

Tel: (201)-368-9171 ext. 247

www.ikegami.com
jhylton@ikegami.com

**Dina J. Antonutti**

Control Manager

Ikegami Electronics (U.S.A.), Inc.

300E Route 17 South, Mahwah, NJ 07430-2141

Tel: (201) 368-9171 ext. 286
Fax: (201) 569-1626

www.ikegami.com
dantonutti@ikegami.com

**Alfredo Gomez**

Inside Sales Coordinator

Ikegami Electronics (U.S.A.), Inc.

300E Route 17 South, Mahwah, NJ 07430-2141

Tel: (201) 368-9171 ext. 241
Fax: (201) 569-1626

www.ikegami.com
agomez@ikegami.com

**Noé Tejada**

Purchasing / Service Agent

Ikegami Electronics (U.S.A.), Inc.

300 Route 17 South, Mahwah, NJ 07430-2141

Tel: (201)-368-9171 ext. 223

www.ikegami.com
ntejada@ikegami.com

Ikegami Color Hybrid Camera

ICD-525S

MSRP = \$276.00

Highlights



- 1/2.9" 2 Mega Pixels CMOS Image Sensor
- 1080P Full HD Hybrid Output support
CVBS (Default, not support WDR), 1080P Full HD Hybrid Output CVI,AHD
- Natural Color Reproduction and clear & vivid image
- Enhance Local Real-time Surveillance Image Quality
- Double shutter Wide Dynamic Range Compensation(WDR@15fps)
- Adaptive Digital Noise Reducer (2D/3D)
- Adaptive Contrast Enhancer (ACE)

MODELS		MSRP
ICD-525S	Camera Only	\$ 276.00
525KIT1	ICD-525S w/ 3 - 8.5mm Auto Iris Lens, Mount & Power Supply	\$ 328.00
525KIT2	ICD-525S w/ 5.5-50mm F1.3 Man-Lens, Mount & Power Supply	\$ 320.00
525KIT3	ICD-525S w/ 2.7 mm - 13.5 mm Auto Iris, Mount & Power Supply	\$ 396.00
525KIT4	ICD-525S w/ 5mm - 50mm Auto Iris, Mount & Power Supply	\$ 442.00
525KIT5	ICD-525S w/ 5mm - 50mm Auto Iris, Outdoor Housing & Power Supply	\$ 506.00



RECOMMENDED OPTIONS (more Lens/options on Accessory page)		MSRP
IK-DTV5513	Megapixel Lens, 5.5-50mm, F1.3, Manual Iris	\$ 30.00
IK-YV10X5HR4A-SA2L	Megapixel Varifocal Dc Auto Iris Lens 5mm - 50mm	\$ 154.00
IK-YV5X2.7R4B-SA2L	Megapixel Varifocal Dc Auto Iris Lens 2.7 mm - 13.5 mm	\$ 104.00
CAMH-500K	12" OUTDOOR HOUSING w/ Mount - Heater & Blower	\$ 74.00
CMB-1W	Universal Camera Mount	\$ 10.00
MGT2450	Power Supply. 24VAC 50VA Plug-in Transformer	\$ 20.00
PS-2420	Power Supply. 24VAC 20VA Plug-in Transformer	\$ 12.00
TG2Z1816FCS	Varifocal Wide-Angle Lens 1.8-3.6mm	\$ 400.00

Ikegami 1/2" Ultra Low Light

Full HD WDR Camera

ICD-879S



Spec

MSRP = \$1188.00

Highlights

- 1/2" Ultra Low Light CMOS Image Sensor
- 1080P Full HD Hybrid Output support CVBS (Default), 1080P Full HD Hybrid Output CVI,TVI,AHD
- Natural Color Reproduction and clear & vivid image
- Enhance Local Real-time Surveillance Image Quality
- Wide Dynamic Range Compensation (120dB) DOL(Digital OverLap) Image Sensor
- Ultra low light performance
- Adaptive Digital Noise Reducer (2D/3D)
- Edge enhancement
- Adaptive Contrast Enhancer (ACE)
- OSD (On Screen Display)

MODELS		MSRP
ICD-879S	Camera only	\$ 1,188.00
879KIT1	ICD-879S w/ 10-40mm Manual Lens, Mount & Power Supply	\$ 1,444.00
879KIT2	ICD-879S w/ 10-40mm Auto Iris Lens, Mount & Power Supply	\$ 1,446.00
879KIT3	ICD-879S w/ 4-12mm Manual Lens, Mount & Power Supply	\$ 1,422.00
879KIT4	ICD-879S w/ 4-12mm Auto Iris Lens, Mount & Power Supply	\$ 1,448.00
879KIT5	ICD-879S w/ 4-12mm Auto Iris Lens, Outdoor Housing & Power Supply	\$ 1,510.00

Accy Spec

RECOMMENDED OPTIONS		MSRP
IK-12VM1040ASIR	1/2" 10-40mm F1.4 IR D/N Lens, Manual Iris Varifocal C-Mount	\$ 238.00
IK-12VG1040ASIR-SQ	1/2" 10-40mm F1.4 IR D/N Lens, DC Auto Iris Varifocal C-Mount	\$ 260.00
IK-12VG412ASIR-SQ	1/2" 4-12mm F1.2 IR D/N Lens, DC Auto Iris Varifocal C-Mount	\$ 240.00
IK-12VM412ASIR	1/2" 4-12mm F1.2 IR D/N Lens, Manual Iris Varifocal C-Mount	\$ 214.00
CAMH-500K	12" OUTDOOR HOUSING w/ Mount - Heater & Blower	\$ 74.00
CMB-1W	Universal Camera Mount	\$ 10.00
WH-4	Camera Mount Black	\$ 36.00
WH-4G	Camera Mount Grey	\$ 36.00
MGT2450	Power Supply. 24VAC 50VA Plug-in Transformer	\$ 20.00
PS-2420	Power Supply. 24VAC 20VA Plug-in Transformer	\$ 12.00

**Ikegami Analog Hyper Wide
Light Dynamic Compact Cube
Day / Night Camera
ISD-A15S**

Spec

Highlights

- Hyper Wide Light Dynamic Range (Hyper WDR)
- Compact Body of a Super Cube
- Horizontal Resolution 700TVL
- De-Fog Function



MODELS

MSRP

ISD-A15S	1/3-inch Hyper Dynamic Camera DPS CMOS	\$ 342.00
ISD-A15S_K1	ISD-A15S with 1/3", 2.7-13.5mm, D/N IR Lens	\$ 446.00
ISD-A15S_K1M	ISD-A15S with 1/3", 2.7-13.5mm, D/N IR Lens and Mount	\$ 456.00
ISD-A15S_K2	ISD-A15S with 1/3", 5-50mm, D/N, DC 5550 Auto Iris Lens	\$ 496.00
ISD-A15S_K2M	ISD-A15S with 1/3", 5-50mm, D/N, DC 5550 Auto Iris Lens and Mount	\$ 506.00
ISD-A15S_OD	ISD-A15S with 1/3", 2.7-13.5mm, D/N IR Lens, 24V(50VA) 120V/60HZ Transformer, and Heated Outdoor Housing	\$ 540.00

**Ikegami Analog Hyper-Dynamic,
High Resolution True Day/Night
Compact Cube Camera
ISD-A15S-TDN**

Spec

Highlights

- Hyper Wide Light Dynamic Range (Hyper WDR)
- Compact Body of a Super Cube
- Automatic White Balance
- TDN (True Day/Night) function

MODELS

MSRP

ISD-A15S-TDN	1/3-inch Hyper Dynamic Camera DPS CMOS	\$ 378.00
ISD-A15S-TDN_K1	ISD-A15S-TDN with 1/3", 2.7-13.5mm, D/N IR Lens	\$ 482.00
ISD-A15S-TDN_K1M	ISD-A15S-TDN with 1/3", 2.7-13.5mm, D/N IR Lens and Mount	\$ 492.00
ISD-A15S-TDN_K2	ISD-A15S-TDN with 1/3", 5-50mm, D/N, DC 5550 Auto Iris Lens	\$ 532.00

RECOMMENDED OPTIONS (more Lens/options on Accessory page)

MSRP

IK-DTV5513	Megapixel Lens, 5.5-50mm, F1.3, Manual Iris	\$ 30.00
IK-YV10X5HR4A-SA2L	Megapixel Varifocal Dc Auto Iris Lens 5mm - 50mm	\$ 154.00
IK-YV5X2.7R4B-SA2L	Megapixel Varifocal Dc Auto Iris Lens 2.7 mm - 13.5 mm	\$ 104.00
CAMH-500K	12" OUTDOOR HOUSING w/ Mount - Heater & Blower	\$ 74.00
CMB-1W	Universal Camera Mount	\$ 10.00
MGT2450	Power Supply. 24VAC 50VA Plug-in Transformer	\$ 20.00
PPC-ISDA15	Power Plug Connector for ISD-A15S / ICD-525S	\$ 4.00
PS-2420	Power Supply. 24VAC 20VA Plug-in Transformer	\$ 12.00
TG2Z1816FCS	Varifocal Wide-Angle Lens 1.8-3.6mm	\$ 400.00

**Accy
Spec**

Ikegami 1/2" CCD Super Cube DSP Monochrome Camera ICD-49

**SPECIAL PRICED
Limited Quantity**



MSRP = \$586.00

**Limited Quantity
Available**

Highlights

- High sensitivity performance of 0.0075 lux at F1.2.
- Signal to Noise ratio more than 50dB
- Low Smear Level of -120dB
- BLC (Back Light Compensation) function
- AES (Automatic Electronic Shutter) function
- VIDEO Iris and DC Iris, and a LINE LOCK functions

Spec

**Accy
Spec**

OPTIONS

MSRP

IK-H3Z4512CSIR	1/2" VARIFOCAL MANUAL IRIS 4.5 - 12.5mm - CS mount - F1.2	\$ 232.00
IK-12VG1040ASIR-SQ	1/2" VARIFOCAL DC AUTO IRIS 10~40 mm, C mount IR, Aspherical	\$ 260.00
CMB-1W	Universal Camera Mount, White	\$ 12.00
PS-2420	Power Supply. 24VAC 20VA Plug-in Transformer	\$ 12.00

ECO-HD21A 1/3" CMOS HIGH SENSITIVE COMPACT HD SDI / HDMI CAMERA

Spec



MSRP = \$1258.00

Highlights

- 1/3" 2.1M CMOS Image Sensor
- Full HD 1920 x 1080 (60P / 60i / 50P / 50i / 30P / 25P) 1280 x 720 (60P / 50P)
- SDI / HDMI Simultaneous Output
- Advanced RGB Interpolator for High Resolution
- Wide Dynamic-Range Compensation (WDR)
- Adaptive Digital Noise Reduction
- Adaptive Contrast Enhancer (ACE)

Highlights

- Lens shading Compensation
- Live Defect Detection & Correction
- High Light & Privacy Masking
- Motion Detection
- Color Rolling Suppression
- On Screen Display

Accy Spec

Recommended Lens

MSRP

IKVZ-A212VDCIR-3MP	Mega-Pixel Lens Vari-Focal Day /Night 1/3" 3MP, 2.8-12mm F1.4, DC, IR, CS	\$ 238.00
IKVZ-A338VDCIR-MP	Mega-Pixel Lens Vari-Focal Day /Night 1/3" 1.3MP, 3.3-8mm F1.4, DC, IR, CS	\$ 132.00

ICD-E11-EFN Analog-HD IR Day/Night 4-1 Technology-TVI Elevator/Corner Camera



Spec

Highlights

- High Resolution
- Vandal Resistant
- IP67

Highlights

- Day/Night
- 2.1mm Fixed Lens
- Analog High Definition

MODELS

MSRP

ICD-E11-EFN	1/3" CMOS Elevator Camera, Metallic Silver finish.	\$ 266.00
ICD-E11- EFN_ACDC	ICD-E11-EFN with 24VAC to 12VDC Converter	\$ 284.00

Ikegami Analog ATM Camera ISD-A14S SERIES

Highlights

Spec



- Super Wide Dynamic Range, Built-In and Variable
- Resolution 700 TVL
- Approx. 1.23M pixels, 1,280 (H) X 960 (V)
- S/N Ratio 50db or better
- Low light Minimum Illumination, 0.2 lx/f2.0 (AGC ON 50IRE)
- Privacy Masking, Built-In (Maximum 8 zones)
- Color Rolling Reduction Function, Built-In, ON/OFF
- Defog Function Switchable


Accy Spec



ACDC2412-300MA



ISD-A14S with SUT-A14



CBK-A14



IK-12500

MODELS

Includes

MSRP

ISD-A14S-25	Camera with 2.5mm lens	\$ 286.00
ISD-A14S-25_AA	Camera with 2.5mm lens, ACDC convertor & ATM Bracket	\$ 320.00
ISD-A14S-25_ACDC	Camera with 2.5mm lens & ACDC convertor	\$ 298.00
ISD-A14S-25_ATM	Camera with 2.5mm lens & ATM Bracket	\$ 308.00
ISD-A14S-29	Camera with 2.9mm lens	\$ 274.00
ISD-A14S-29_AA	Camera with 2.9mm lens, ACDC convertor & ATM Bracket	\$ 308.00
ISD-A14S-29_ACDC	Camera with 2.9mm lens & ACDC convertor	\$ 286.00
ISD-A14S-29_ATM	Camera with 2.9mm lens & ATM Bracket	\$ 296.00
ISD-A14S-36	Camera with 3.6mm lens	\$ 270.00
ISD-A14S-36_AA	Camera with 3.6mm lens, ACDC convertor & ATM Bracket	\$ 304.00
ISD-A14S-36_ACDC	Camera with 3.6mm lens & ACDC convertor	\$ 282.00
ISD-A14S-36_ATM	Camera with 3.6mm lens & ATM Bracket	\$ 292.00
ISD-A14S-NL	Camera, no Lens (special order)	\$ 280.00

OPTIONS

MSRP

ACDC2412-300MA	24VAC to 12VDC Converter	\$ 12.00
CBK-A14	ATM Bracket for ISD-A14/A14S	\$ 22.00
IK-12500	12VDC 500MA Switching Power Supply	\$ 12.00
SUT-A14	Control Board for ISD-A14/A14SS	\$ 16.00

ECO-HD13 Analog WDR Board Camera

MSRP = \$208.00



Highlights

- 1000 Lines of Resolution
- Easy Icon Style OSD
- Wide Dynamic Range (30fps)
- 2.8~12mm 2MP Vari-focal Lens Provided

Spec

ECO-HD47IP IP HD Mini Cube Color Camera

Spec



Highlights

- ONVIF Compliant
- 2.43 Megapixel, 1/2.8" CMOS Sensor
- Board: 3.7 mm (3 MP) Lens
- Min. Illumination of 0.1 Lux
- Digital Day & Night

MSRP = \$778.00

Ikegami Analog Hyper Wide Light Dynamic Indoor Dome

ISD-A33S SERIES



Spec

Highlights

- Hyper Wide Light Dynamic Range (Hyper WDR)
- Focus EZ Function
- Horizontal Resolution 700TVL
- De-Fog Function

MODELS

MSRP

ISD-A33S-31WH	Camera, 2.9-10mm Lens, White Housing	\$ 350.00
ISD-A33S-92WH	Camera, 9-22mm Lens, White Housing	\$ 368.00

OPTIONS

MSRP

IK-WM100-I-W	Wall Mount	\$ 12.00
IK-CB200	Ceiling Mount	\$ 60.00
IK-WB100-I-W	Pendant Mount	\$ 60.00
XHG-6229N2	In Ceiling Mount Adaptor	\$ 120.00



XHG-6229N2



IK-WM100-I-W



IK-WB100-I-W



IK-CB200

Accy Spec

Ikegami Analog Hyper Wide

Light Dynamic, Vandal Resistant, Day / Night Dome Camera

ISD-A35S SERIES

Spec

Highlights

- Hyper Wide Light Dynamic Range (Hyper WDR)
- Focus EZ Function
- High Sensitivity
- De-Fog Function

MODELS

MSRP

ISD-A35S-31WH	Camera, 2.9-10mm Lens, White Housing	\$ 432.00
ISD-A35S-92WH	Camera, 9-22mm Lens, White Housing	\$ 450.00



IK-DSB-PWMVCN-CG-W

Accy Spec



XHG-6229N2

OPTIONS

MSRP

IK-DSB-PWMVCN-CG-W	Wall Mount, White	\$ 84.00
XHG-6229N2	In Ceiling Mount Adaptor	\$ 120.00

ECO-HDB2812

1080p HD Outdoor Turret
IR Varifocal Color Dome

SPECIAL PRICED
Limited Quantity



Highlights

- HD resolution of 1080p30
- 1/2.8" progressive scan CMOS sensor with .01 lux native light sensitivity.
- 2.8-12mm lens
- True Day/Night
- OSD menu controlled by joystick
- Easy mounting with 3-Axis positioning for convenient wall or ceiling mounting
- IP66 weather resistant, vandal resistant metal housing
- Operating temperature range of 14°F~113°F
- 12VDC operation with low current draw

Spec

MSRP = \$154.00

**Limited Quantity
Available**

ECO-D12-2812

**IR Vandal Resistant
Color Dome Camera**

MSRP = \$294.00



Highlights

- Resolution of over 750 horizontal TV lines
- 960H CCD sensor with high IR sensitivity
- True Day/Night
- easy to use OSD setup menu
- Digital Wide Dynamic Range
- Anti Color Roll
- Programmable BLC and HLC
- Adjustable 2D-Noise Reduction
- Privacy masking for 8 configurable zones

Highlights

- Lens shading compensation
- 2.8~12mm 2 Megapixel Aspheric Varifocal DC iris lens
- Dual voltage (12VDC/24VAC) with Anti Color Roll
- IP66 weather resistant
- Extreme Operating temperature down to -40°
- Service Video output for convenient installation
- 3-Axis gimbal for convenient wall or ceiling mounting
- Flush or Surface mountable
- XHG-D12 Optional wall mount bracket w/ 3/4" conduit fitting

Spec

Accy Spec



XHG-D12



ACDC2412-800MA

OPTIONS

		MSRP
XHG-D12	Wall Mount	\$ 118.00
ACDC2412-800MA	24VAC to 12VDC Converter	\$ 16.00

EE-D4030W-3.6

H.265, MINI VPD, 1/3"CMOS,
5MP, 3.6mm Lens Dome Camera

Spec





MSRP = \$274.00

Highlights

- H.265 Compression
- 1/3" 4MP OV Sensor
- Effective Pixels: 2688(H) × 1520(V)
- 3.6mm Fixed Lens
- 5MP@30fps
- 24 IR
- Color : 0.05 Lux @ F1.2,AGC ON, B / W : 0.01 Lux @ F1.2

Highlights

- WDR
- BNC Output for Analog Tester
- Audio In
- Smart Alarm
- Weatherproof
- 12V DC / PoE
- IP66 & IK10



EE-BRK03W



EE-AIJBOX

Accy Spec

OPTIONS

		MSRP
EE-BRK03W	Wall Mount Bracket	\$ 24.00
EE-AIJBOX	Base Box	\$ 20.00

EE-IPD4MP2812MZ

4MP H.265 HD IP Vandal Motorized Camera

Highlights

- H.265 Compression
- 1/3" 4MP OV Sensor
- Effective Pixels: 2688(H) × 1520(V)
- 4MP @ 30fps
- 2.8 ~ 12 mm Motorized Lens
- 30 IR
- IP66 & IK10

Highlights

- 0.05 Lux @ F1.2,AGC ON
- 0 Lux with IR
- WDR
- BNC Output for Analog Tester
- Audio In/Out, Alarm In/Out, MicroSD
- 12V DC / PoE



Spec

MSRP = \$464.00

Accy Spec



EE-BRK09W

OPTIONS

		MSRP
EE-BRK09W	Wall Mount Bracket	\$ 40.00

EK-HD24IR

1080P 2.8-12mm Varifocal Lens IR Vandal Proof Dome Camera

Spec



MSRP = \$538.00

Highlights

- 1/2.8" 2.43 Megapixel CMOS Sensor
- 2.8-12mm Varifocal Lens
- Full HD (1920x1080P)
- WDR
- Day & Night Function
- Selectable EX-SDI 2.0 / 1.0 or HD-SDI

Highlights

- IP67
- 24IR LEDs, IR Length 20m
- Dual Voltage (24V AC / 12V DC)
- Dual Video Output: HD/EX-SDI (1080P) & Analog (1000TVL)
- UP to 500M Full HD Transmission via Coaxial Cable

Ikegami IP 2MP High Definition Indoor Dome Network Camera IPD-DM300

Spec



MSRP = \$738.00

- 1/3-inch progressive scan CMOS sensor
- Enhanced Digital WDR
- Auto Iris Function
- Day/Night Function
- PoE Compatible
- ONVIF Profile S, test tool 14.06 conformant

Ikegami IP Hyper Wide Light Dynamic IP Network Camera IPD-BX11

Spec



MSRP = \$582.00

Highlights

- Approx. 410,000 pixels, Effective 758(H) x 540(V)
- H.264/M-JPEG video compression
- Designed for smear-free imaging & low noise
- Horizontal Resolution 520 TV Line or better
- Hyper Wide Dynamic technology



Accy Spec

RECOMMENDED OPTIONS

MSRP

CAMH-500K	12" OUTDOOR HOUSING w/ Mount , Heater & Blower	\$ 74.00
CMB-1W	Universal Camera Mount	\$ 12.00
IK-YV10X5HR4A-SA2L	Megapixel Varifocal Dc Auto Iris Lens 5mm - 50mm	\$ 154.00
IK-YV5X2.7R4B-SA2L	Megapixel Varifocal Dc Auto Iris Lens 2.7 mm - 13.5 mm	\$ 104.00
MGT2450	Power Supply. 24VAC 50VA Plug-in Transformer	\$ 20.00
PS-2420	Power Supply. 24VAC 20VA Plug-in Transformer	\$ 12.00

Ikegami IP Hyper Wide Light Dynamic Network Indoor Dome Camera IPD-DM11

Spec



Accy Spec



XHG-6229N2

Highlights

- Engineered Dome Camera
- IP Network Camera, ONVIF compliant
- Scene File Function and Field Setup
- More Usable Pixels
- High-quality Picture

Ikegami IP Hyper Wide Light Dynamic Network Outdoor Dome Camera IPD-VR11

Spec



MODELS

MSRP

IPD-DM11-31	Camera with Focal length f2.8 ~ 10mm Lens	\$ 708.00
IPD-DM11-92	Camera with Focal length f9 ~ 22mm Lens	\$ 750.00
IPD-VR11-31	Camera with Focal length f2.8 ~ 10mm Lens	\$ 756.00
IPD-VR11-92	Camera with Focal length f9 ~ 22mm Lens	\$ 804.00

OPTIONS

MSRP

XHG-6229N2	In Ceiling Mount Adaptor	\$ 120.00
------------	--------------------------	-----------

EE-PIR37-2MP

Analog Covert Cam
4 in 1 Motion Detector Camera
with 3.7mm Pinhole Lens

Spec



MSRP = \$172.00

Highlights

- 4-In-1 (AHD, HD-TVI, HD-CVI, 960H)
- 1/3" 2.4MP HD Aptina Sensor
- Effective Pixels: 1920(H) x 1080(V)
- 3.7mm Fixed Lens
- 18 Hidden IR, 0Lux IR LED On
- 0.01Lux @ F1.2 (AGC On)

Highlights

- 30FPS (NTSC)
- 12V DC
- OSD Menu. Can Switch to Analog Mode
- CoC Compatible (Control Over Coax)
- NTSC / PAL Compatible

EE-PTZ3M55110 PTZ HYBRID IP 3MP H.265 HD Camera 20X Zoom

3MP@30FPS ON IP,
AND 2MP TVI/AHD COAX

Highlights

- 1 / 2.8" CMOS progressive scan
- 20X optical zoom
- HD network video output : 2048 x 1536 @25 / 30fps
- H.265 image compression format
- SD card local storage, network remote storage
- Web GUI Menu
- Support selected area amplification and PTZ function
- Provide standard SDK, easy to integrate with other digital system
- IR night view distance: 100m
- TCP / IP, UDP, DHCP, DDNS, NTP, RTSP, SMTP, FTP, PPPoE
- IP66 ingress protection; TVS 6KV lightning protection, surge protection

Spec



MSRP = \$1464.00



EE-CM401



EE-PM403

OPTIONS

		MSRP
EE-PTZCM404	PTZ Ceiling Mount	\$ 58.00
EE-CM401	Corner Mount	\$ 58.00
EE-PM403	PTZ Pole Mount	\$ 58.00


Accy Spec



EE-PTZCM404

ECO-HDMB-43

Outdoor HD Color Mini Bullet Camera



Spec

Highlights

- HD resolution of 1080p30
- Field select 1080p 30/25.
- HD-TVI HD BNC output.
- 1/2.7h progressive scan CMOS sensor.
- 4.3mm megapixel lens
- OSD setup menu

Highlights

- On-camera 3-axis joystick.
- Programmable BLC and HLC
- Adjustable 2D Noise Reduction
- Privacy masking for 8 configurable zones.
- IP67 weatherproof metal housing with 3-axis mount included

MSRP = \$194.00

EE-HDBIRMZ-B

2.1MP 4-In-1 IR Outdoor Bullet WDR Motorized Camera



ACDC2412-800MA



PS-2412

Highlights

- 1/3" CMOS Sensor
- Low Illumination
- TVI/AHD/CVI/960H Compatibility
- WDR, 3D DNR
- 2.8~12mm Motorized Lens
- 12V DC
- IP66

MSRP = \$202.00

Spec

Accy Spec

OPTIONS

		MSRP
PS-2412	Power Supply: Dual Voltage.	\$ 12.00
ACDC2412-800MA	Power Converter	\$ 16.00

EE-IPB8MP2812MZ

8MP H.265 HD IP IR Motorized Bullet Camera

Spec



Highlights

- 1/2.5" 8MP HD CMOS Sensor
- H.265 Compression
- Effective Pixels: 3840 × 2160
- 8 Mega Pixels Image Resolution
- 2.8 ~ 12mm Motorized Lens, 8MP@30fps

Highlights

- 0.01 lux @F1.2, AGC ON; 0 lux with IR
- 48 IR; DWDR
- MicroSD, Audio I/O, Alarm I/O
- IP66 Weatherproof
- 12V DC / PoE

MSRP = \$636.00

EE-AIJBOX



Accy Spec

OPTIONS

		MSRP
EE-AIJBOX	Base Box	\$ 20.00

Accys for "EE" Series Cameras

		MSRP
EE-AADJBOX2	Base Box for EE-D4002W-3.6, EE-B4042W-3.6	\$ 18.00
EE-AADJPLT	Mounting Plate for EE-AADJBOX2	\$ 6.00
EE-AIJBOX	Junction Box for EE-IPB4MP3312MZ, EE-IPB8MP2812MZ	\$ 20.00
EE-BB1W	Base Box for EE-HDBIRMZ, EE-VR42IR2812, EE-IPE4MP3312MZ	\$ 20.00
EE-BRK03W	Wall Mount Bracket for EE-VR42IR2812 , EE-D4030W-3.6	\$ 24.00
EE-BRK09W	Wall Mount Bracket for EE-IPD4MP2812MZ	\$ 40.00
EE-CMPL3W	Ceiling Mount Plate for 1" PIPE	\$ 18.00
EE-PIPE12W	1" Diameter Pipe,12" Length, White for Plates: EE-PL-BB1W, EE-CMPL3W	\$ 32.00
EE-PIPE3FTW	1" Diameter Pipe,3ft Length, White for Plates: EE-PL-BB1W, EE-CMPL3W	\$ 32.00
EE-PIPE4W	1" Diameter Pipe,4" Length, White for Plates: EE-PL-BB1W, EE-CMPL3W	\$ 10.00
EE-PIPE7W	1" Diameter Pipe,7" Length, White for Plates: EE-PL-BB1W, EE-CMPL3W	\$ 14.00
EE-PIPEM-M-12W	1" Diameter 12" Length Extension Pipe, Male/Male, White	\$ 20.00
EE-PL-BB1W	Plate for EE-BB1W, for 1" PIPE	\$ 14.00
EE-WMB08	Wall Mount Bracket	\$ 38.00
PS-2412	Power Supply: Dual Voltage	\$ 12.00

Accessories for Cameras

1/2" Lens spec MSRP

IK-H3Z4512CSIR	1/2" VARIFOCAI MANUAL IRIS 4.5 - 12.5mm - CS mount - F1.2	\$ 232.00
IK-12VG1040ASIR-SQ	1/2" VARIFOCAI DC AUTO IRIS 10-40 mm, C mount IR, Aspherical	\$ 260.00

1/3" Lens spec MSRP

IK-DTV5513	Megapixel Lens, 5.5-50mm, F1.3, Manual Iris	\$ 30.00
IK-YV5X2.7R4B-SA2L	Megapixel Varifocal 1/3" DC Auto Iris Lens 2.7 mm - 13.5 mm	\$ 104.00
IK-YV10X5HR4A-SA2L	Megapixel Varifocal 1/3" DC Auto Iris Lens 5mm - 50mm	\$ 154.00
IKVZ-A212VDCIR-3MP	Megapixel Varifocal Day /Night 1/3" 3MP, 2.8-12mm F1.4, DC, IR, CS	\$ 238.00
IKVZ-A338VDCIR-MP	Megapixel Varifocal Day /Night 1/3" 1.3MP, 3.3-8mm F1.4, DC, IR, CS	\$ 132.00
IK-DTV3X0310D	1.3" 3.0-8.5mm, CS Mount, Manual iris Varifocal Lens (L'TD QTY)	\$ 84.00
TG2Z1816FCS	1/3" Varifocal Wide-Angle Lens 1.8-3.6mm	\$ 400.00

Need other Lens? Let Us Know What You're Looking For

Mounts for Box Cameras spec MSRP

CMB-1B	Universal Camera Mount, Black	\$ 12.00
CMB-1W	Universal Camera Mount, White	\$ 12.00
WH-4	Camera Mount Black	\$ 36.00
WH-4G	Camera Mount Grey	\$ 36.00

Housings spec MSRP

CAMH-500K	12" OUTDOOR HOUSING w/ Mount - Heater & Blower	\$ 74.00
CAMH-700K	15" OUTDOOR HOUSING w/ Mount	\$ 74.00

Accessories for Cameras, continued

Power Supply	spec	MSRP
ACDC2412-300MA	24VAC to 12VDC Converter	\$ 12.00
ACDC2412-800MA	24VAC to 12VDC Converter	\$ 16.00
IK-12500	12VDC 500MA Switching Power Supply	\$ 12.00
MGT2450	Power Supply. 24VAC 50VA Plug-in Transformer	\$ 20.00
PS-2412	Power Supply: Dual Voltage (not for ISD Cameras)	\$ 12.00
PS-2420	Power Supply. 24VAC 20VA Plug-in Transformer	\$ 12.00
EE-PB12095A	12V DC, 4 Channel Power Supply, 5AMP	\$ 66.00
EE-PB120910A	12V DC 9 Channel Power Supply, 10 Amp, UL Listed,	\$ 118.00
EE-PB121810A	12VDC 18CH Power Distributor, 10AMP, UL Listed,	\$ 118.00
EE-PB121820A	12VDC 18CH Power Distributor, 20 Amp, PTC (Resetable) fuse	\$ 140.00

Wall Mounts	spec	MSRP
EE-BRK03W	Wall Mount Bracket for EE-VR42IR2812 , EE-D4030W-3.6	\$ 24.00
EE-BRK09W	Wall Mount Bracket for EE-IPD4MP2812MZ	\$ 40.00
EE-WMB08	Wall Mount Bracket for EE-35MZ2812	\$ 38.00
IK-DSB-PWMVCN-CG-B	Wall Mount, Black for ISD-A35/A35S	\$ 84.00
IK-DSB-PWMVCN-CG-W	Wall Mount, White for ISD-A35/A35S	\$ 84.00
IK-WM100-I-W	Wall Mount for ISD-A33/A33S	\$ 12.00
XHG-D12	Wall Mount for ECO-D12-2812	\$ 118.00

Ceiling & Pendant Mounts	spec	MSRP
EE-CMPL3W	Ceiling Mount Plate for 1" PIPE	\$ 18.00
IK-CB200	Ceiling Mount for ISD-A33/A33S	\$ 60.00
XHG-6229N2	In Ceiling Mount Adaptor	\$ 120.00
IK-WB100-I-W	Pendant Mount for ISD-A33/A33S	\$ 60.00
EE-PIPE12W	1" Diameter Pipe,12" Length, for Plates: EE-PL-BB1W, EE-CMPL3W	\$ 32.00
EE-PIPE3FTW	1" Diameter Pipe,3ft Length, White for Plates: EE-PL-BB1W, EE-CMPL3W	\$ 32.00
EE-PIPE4W	1" Diameter Pipe,4" Length, White for Plates: EE-PL-BB1W, EE-CMPL3W	\$ 10.00
EE-PIPE7W	1" Diameter Pipe,7" Length, White for Plates: EE-PL-BB1W, EE-CMPL3W	\$ 14.00
EE-PIPEM-M-12W	1" Diameter 12" Length Extension Pipe, Male/Male, White	\$ 20.00

Base / Junction Boxes	spec	MSRP
EE-AADJBOX2	Base Box for EE-D4002W-3.6, EE-B4042W-3.6	\$ 18.00
EE-AADJPLT	Mounting Plate for EE-AADJBOX2	\$ 6.00
EE-AIJBOX	Junction Box for EE-IPB4MP3312MZ, EE-IPB8MP2812MZ	\$ 20.00
EE-BB1W	Base Box for EE-HDBIRMZ, EE-VR42IR2812, EE-IPE4MP3312MZ	\$ 20.00
EE-PL-BB1W	Plate for EE-BB1W, for 1" PIPE	\$ 14.00

Accessories for Cameras, continued

PTZ Accessories	spec	MSRP
EE-CM401	PTZ Corner Mount for EE-PTZ3M4794	\$ 58.00
EE-PM403	PTZ Pole Mount for EE-PTZ3M4794	\$ 58.00
EE-PTZCM404	PTZ Ceiling Mount for EE-PTZ3M4794	\$ 58.00

Balun, Transceiver, Switcher, Splitter	spec	MSRP
EE-ACVBAL	(pair) 1 Channel HD-Video Passive Balun (Push Terminal Tail-Type)	\$ 12.00
EE-ACVPDBAL	(pair) 1CH HD Video & Power & PTZ Data Transceiver	\$ 32.00
EE-ACVPBAL	(pair) 1CH HD Video & Power Transceiver	\$ 20.00
EE-POE4PAT	4 X PoE 1X Uplink 10/100MPBS Output 25W Each Port	\$ 166.00
EE-POE8PAT	8X PoE 1X Uplink 10/100/1000MPBS Output 30W Each Port	\$ 400.00
EE-POE16AT	16 X PoE 2X Uplink & SFP 10/100/1000MPBS 25W Each Port	\$ 826.00
EE-POE24	24 X PoE 2 X Uplink & SFP 10/100/1000MPBS 15.4W Each Port	\$ 890.00
EE-POESPLIT-01	PoE Splitter	\$ 26.00
EE-RX101	Switch Receiver~ NVR Side	\$ 146.00
EE-TX101-POE	Switch Transmitter~ Camera Side	\$ 128.00
EE-RXTX-101_KIT	EE-RX101 & EE-TX101-POE TOGETHER	\$ 274.00

Other Camera Accessories	spec	MSRP
CBK-A14	ATM Bracket for ISD-A14/A14S	\$ 22.00
CMA-40	C-Mount Adaptor Ring	\$ 12.00
E4-191J-150	4-Pin Auto Iris Connector w/Conn Shell	\$ 12.00
PPC-ISDA15	Power Plug Connector for ISD-A15S / ICD-525S	\$ 4.00
RC-ISD2012	Remote Control Unit RM-1000	\$ 92.00
RCU-801	Remote Control Unit	\$ 848.00
SUT-A14S	Control Board for ISD-A14S	\$ 16.00
IK-GLI-01	Coaxial video ground loop isolator. BNC male to BNC female with mini cable 10 inches on both ends.	\$ 20.00

EE-DVR04

5MP 4CH 5-IN-1 Hybrid DVR

Spec



Highlights

H.265 Compression
 4 CH TVI / CVI / AHD video input
 1 x IPC In (Up To 5 IPC)
 Recording: TVI / AHD : 5MP@10fps; 4MP/3MP@ 15fps, 2MP@30fps
 Playback: 4CH simultaneously playback; HDMI 1080P output
 Backup: USB, IE, CMS; support multi-file, file cutting when backup
 Pentaplex: live, record, playback, backup and remote operation
 DHCP, DDNS, PPPoE Network protocol, IE browse and CMS supported
 Dual stream technology; Multi-user online simultaneously
 Support PTZ preset and auto cruise, up to 128 presets and 8 cruises
 Cell phone: iPhone, Android
 Complete SDK function, easy to integrate with other applications
 Max HDD: 1 x HDD

MSRP =
\$274.00

HDD Purchased
Separately

EE-DVR8MP series

8MP 4-IN-1 8CH / 16CH DVRs

EE-DVR8MP8 / EE-DVR8MP16

8 Channel
EE-DVR8MP8
 MSRP = \$394.00

16 Channel
EE-DVR8MP16
 MSRP = \$666.00



Highlights

- 8 / 16 CH TVI / AHD video input, support 8MP (4K) / 5MP / 4MP / 3MP / 1080P / 720P / WD1
- 8 / 16 CH CVI video input, support 4MP / 3MP / 1080P / 720P / WD1
- 8 / 16 CH DVRs default support 8 / 8 CH IPC 8MP / 5MP / 4MP / 3MP / 1080P / 960P / 720P
- Adopt standard H.265 high profile compression format to get high-quality video at much lower bit rate
- Intuitive and user-friendly Graphics User Interface (GUI), window style operation by mouse
- Multi-mode recording: manual / timer / motion
- Playback : 8 / 16 CH simultaneously playback
- Search: time slice, time, event (manual, motion), tag search
- Express and flexible backup via USB, network and so on
- Pentaplex: preview, record, playback, backup and remote access DHCP, DDNS, PPPoE network protocol, IE browse and CMS supported
- Remote control via IE or CMS : preview, playback, backup, PTZ and configuration
- Dual stream technology for local storage with high definition, remote network transmission and remote surveillance with mobile device
- Multi-user online simultaneously
- Authorization management, log review and device status review
- HDMI 4K output, true high resolution display
- Support PTZ preset and auto cruise, up to 255 presets and 8 cruises
- Support NAT function and QRCode scanning by mobile phone and PAD
- Powerful smart phone & Pad surveillance with iOS and Andriod OS

Spec

HDD Purchased
Separately

DVR's continued next page

EE-DVR08-3

5MP 8CH 5-IN-1 Hybrid DVR

Highlights

H.265 Compression
 8 CH TVI / CVI / AHD video input
 8 CH 5MP / 4MP / 4MP lite / 3MP / 1080P / 720P / WD1 recording
 4 CH IPC 4MP / 3MP / 1080P / 960P / 720P recording
 Up to 12CH IP Camera input
 Playback: 8CH simultaneously playback; HDMI 1080P output
 Backup: USB, IE, CMS; support multi-file, file cutting when backup
 Pentaplex: live, record, playback, backup and remote operation
 DHCP, DDNS, PPPoE Network protocol, IE browse and CMS supported
 Dual stream technology; Multi-user online simultaneously
 Support PTZ preset and auto cruise, up to 128 presets and 8 cruises
 Cell phone: iPhone, Android
 Complete SDK function, easy to integrate with other applications
 Max HDD: 2 x HDD

Spec



MSRP =
\$538.00

**HDD Purchased
Separately**

EE-DVR32 32CH 4-IN1 TVI / AHD / CVI DVR

Highlights

H.265 Compression
 32 CH TVI / AHD / CVI video input
 32 CH 1080P / 1080P lite / 720P / WD1 recording

Adopts standard H.264 high profile compression format to get high-quality video at much lower bit rate

Intuitive and user-friendly Graphics User Interface (GUI), window style operation by mouseMulti-mode recording:
 manual / timer / motion / sensor

Playback : 16 CH simultaneously playback

Search: time slice, time, event (manual, sensor, motion), tag search

Pentaplex: preview, record, playback, backup and remote access

DHCP, DDNS, PPPoE network protocol, IE browse and CMS supported

Remote control via IE or CMS : preview, playback, backup, PTZ and configuration

Dual stream technology for local storage with high definition, remote network transmission and remote surveillance with mobile device

Multi-user online simultaneously

Authorization management, log review and device status review

HDMI 1080P output, true high resolution display

Supports PTZ preset and auto cruise, up to 255 presets and 8 cruises

Support NAT function and QR Code scanning by mobile phone and PAD

Powerful smart phone & Pad surveillance with iOS and Andriod OS



MSRP =
\$1208.00

Spec

**HDD Purchased
Separately**



OPTIONS

MSRP

EE-HDD1TB	1TB Hard Disc Drive	\$ 172.00
EE-HDD2TB	2TB Hard Disc Drive	\$ 234.00
EE-HDD3TB	3TB Hard Disc Drive	\$ 304.00
EE-HDD4TB	4TB Hard Disc Drive	\$ 400.00
EE-HDD6TB	6TB Hard Disc Drive	\$ 636.00
EE-DVRLOCKBOX	DVR LOCK BOX, 18"x24"x5"	\$ 220.00

EE-NVR8-8P

H.265 GUI 8CH NVR
w/ 8 PoE 1U Case

Spec



Highlights

- H.265 Compression
- Titanium Interface
- 8CH IPC, 8CH PoE
- 8CH Audio In from IPC / 1CH Audio Out
- 4CH Alarm In / 1CH Alarm Out
- 1CH Mic-In
- Max HDD: 1 HDD (6TB Each)

Highlights

- DVR±RW
- 8CH 30fps/CH @ 5MP
- 1U Case
- HDMI/VGA (4K)
- RS-485 Control
- ONVIF

MSRP = \$444.00

HDD Purchased
Separately

EE-NVR32A

H.265 GUI 32CH NVR
2U Case

Spec



Highlights

- H.265 Compression
- 32CH IPC
- 32CH Audio In from IPC / 1CH Audio Out
- 8CH Alarm In / 4CH Alarm Out
- 1CH Mic-In
- DVR±RW

Highlights

- 32CH 30fps/CH @ 5MP
- 2U Case
- HDMI x 2 /VGA (4K)
- RS-485 Control
- ONVIF
- Max HDD: 8x HDD 6TB Each

MSRP = \$1016.00

HDD Purchased
Separately



OPTIONS

		MSRP
EE-HDD1TB	1TB Hard Disc Drive	\$ 172.00
EE-HDD2TB	2TB Hard Disc Drive	\$ 234.00
EE-HDD3TB	3TB Hard Disc Drive	\$ 304.00
EE-HDD4TB	4TB Hard Disc Drive	\$ 400.00
EE-HDD6TB	6TB Hard Disc Drive	\$ 636.00
EE-DVRLOCKBOX	DVR LOCK BOX, 18"x24"x5"	\$ 220.00

4.3" Touch Screen 4MP IP, Analog, AHD & TVI & CVI tester EE-SM43TS5IP

Spec

MSRP = \$954.00



Highlights

Touch screen
4.3 inch 4MP IP & Analog & AHD & TVI & CVI tester
Resolution: 960 x 540
Supports 1080P HD camera test and PTZ control, ONVIF, Analog camera test and PTZ control
Network digital and analog video generator function
Mobile client software can customized, IPC image displayHDMI output
HD CVI image display, supports 720P 25fps, 30fps, 50fps, 60fps, 1080P 25fps, 30fps
UTC control / call OSD menu Supports 4MP AHD test, 2560 x 1440P, 15/25/30fps,

Highlights

PoE DC12V 2A
Built-in wireless WIFI function
PTZ control and PTZ address scan
Video screenshots, record & playback, HD video player, audio player, IP address scan
PING test, Port flashing, PoE voltage test, UTP cable test
Supports the coaxial visual control calls to set up the camera menu
HD TVI image display, supports 720P 25fps, 30fps, 50fps, 60fps, 1080P 25fps, 30fps

Ikegami High Resolution, 9.7-inch TFT Color LCD Monitor LCM-971

Spec

MSRP = \$700.00

Highlights

- All Metal Cabinet
- 2.5D Comb Filter, De-Interlacing, Noise Reduction
- Wall and Rack Mount Kit Available
- 1024 x 768 at 75Hz Maximum Resolution
- BNC Video In 2 / Out 2, S-Video In 1, HDMI 1 In, VGA In 1,

Highlights

- Audio 1 In, PC Stereo 1
- LED BLU (Back Light Unit) Display Monitor
- 300cd/m2 High Brightness
- Trigger Sensor Featured



Accy Spec

OPTIONS

MSRP



IK-RMK-08V

Dual Rack Mount Adaptor for Vesma Mount 8" through 20" Monitors

\$ 178.00

MONITOR's continued next page

Ikegami High Resolution, 15-inch TFT Color LCD Monitor LCD-15

Promotional Blow-Out Pricing \$80.00

Highlights

- High Resolution Panel 1024x768pixels
- Front LCD Protection Glass
- Deinterlace
- Contrast Ratio 500:1, Brightness 250cd/m2
- Composite In/Out(BNC), HDMI In, S-Video In and PC In

MSRP = \$536.00

Highlights

- Fast Response Time 8msec.
- Auto Source Sequencing
- Optional Rackmount Adaptor IK-RMK-08
- Power AC 90V - 264V (with AC adaptor)
- All Safety Standards (FCC, CE, RoHS)



Spec

Accy Spec

OPTIONS

MSRP



IK-LCD-75-100-WB

IK-LCD-75-100-WB

3 Directions LCD Wall Mount

\$46.00

SL-WA16

VESA Tilttable Wall Mount Bracket

\$20.00

VGA-6FT


VGA/SVGA M/M Cable 6ft

\$30.00

IK-RMK-08V

Dual Rack Mount Adaptor for Vesa Mount

\$178.00




SL-WA16



Ikegami High Resolution, Security Surveillance TFT Color LCD Monitors

15-inch LCM-151




MSRP = \$804.00

Highlights

- High Resolution
- 3D Comb Filter
- Deinterlace
- Front LCD Protection Glass and Metal Frame
- Contrast Ratio 700:1, Brightness 250cd/m2

17-inch LCM-171



MSRP = \$692.00

Highlights

- Loop-through Composite Video
- Remote Controller included
- Optional Rackmount Adaptor IK-RMK-08
- Power AC 100V - 240V (with AC adaptor)
- All Safety Standards (FCC, CE, RoHS)

Accy Spec



IK-LCD-75-100-WB

RMK-



OPTIONS

		MSRP
IK-LCD-75-100-WB	3 Directions LCD Wall Mount	\$46.00
IK-RMK-08V	Dual Rack Mount Adaptor for Vesa Mount	\$178.00
RMK-151	Rack Mount Ear for LCM-151	\$72.00
RMK-171	Rack Mount Ear for LCM-171	\$76.00
SL-WA16	VESA Tilttable Wall Mount Bracket	\$20.00

Ikegami 18.5-inch HDTV Full HD Broadcast Quality Professional Monitor ULE-185U



Spec

Highlights

- Full HD 3G Multi-format LED Monitor
- LED backlight to extend the lifetime and save power
- Non-glare surface coating
- SD / HD / 3G-SDI (level A) is supported
- PC (VGA), DVI-D and HDMI inputs
- Wireless remote control
- PIP / PBP multi display function

Pictured with
RS-185

MSRP = \$1374.00



IK-LCD-75-100-WB

Accy Spec

OPTIONS

		MSRP
RS-185	19" Rack Mount Adapter	\$138.00
IK-LCD-75-100-WB	3 Directions LCD Wall Mount	\$46.00

Ikegami High Resolution, LCD Monitor

**15-inch
ULM-153**

Spec



MSRP = \$752.00

**17-inch
ULM-173**

Spec



MSRP = \$836.00

**19-inch
ULM-193**

Spec



MSRP = \$966.00

Highlights

High Resolution, Faithful Colour Reproduction
Colour Reproduction: Over 16 Million Colours
Rapid Response Time
Wide Viewing Area with High Contrast

Highlights

Various Video and Audio Inputs
Mountable in a 19-inch EIA Standard Rack
VESA Mounting as Standard



IK-LCD-75-100-WB



IK-VZPSU1

OPTIONS

		MSRP
IK-LCD-75-100-WB	3 Directions LCD Wall Mount	\$46.00
SL-WA16	VESA Tilttable Wall Mount Bracket	\$20.00
IK-VZPSU1	AC/DC Power Converter ULM-153	\$68.00
IK-VZPSU2	AC/DC Power Converter ULM-173 / 193	\$68.00
IK-RMK-08V	Dual Rack Mount Adaptor for Vesa Mount	\$178.00

Accy Spec

Ikegami 21.5-inch HDTV Full HD Broadcast Quality Professional Monitor ULE-217A

Highlights

- Full HD 3G Multi-format LED Monitor
- 3G/HD-SDI input
- 3D Comb-filter & DeInterlace
- Built-In Speakers

Highlights

- Full HD 3G Multi-format LED Monitor
- 3G/HD-SDI input
- 3D Comb-filter & DeInterlace

Spec

MSRP = \$1474.00



IK-LCD-75-100-WB



IK-RMK-08V



IK-VZPSU2

OPTIONS

		MSRP
IK-LCD-75-100-WB	3 Directions LCD Wall Mount	\$46.00
IK-RMK-08V	Rackmount 8.4~22" LCD monitor	\$178.00
IK-VZPSU2	AC/DC Power Converter	\$68.00

Accy Spec

LCM-320C

32" High Performance Large Screen
CCTV LCD Monitor

Spec



MSRP = \$2088.00

Highlights

- Larger Screen Size for Multi-purpose Applications
- Brightness: 500 cd/m2
- Built-in 3D Comb Filter and Deinterlace
- Various Video Inputs
- Desk Top Stand as standard.
- Optional VESA Wall Mount and Ceiling Mount

Accy Spec

OPTIONS

MSRP

IK-PLB-1A	LCD Wall Mount (VESA 200x200)	\$168.00
-----------	----------------------------------	----------



LCM-420A

42" High Performance Large Screen
CCTV LCD Monitor

Spec

Highlights

- Larger Screen Size for Multi-purpose Applications
- 42" 1920x1080 pixels @60Hz
- Built-in 3D Comb Filter and Deinterlace
- Various Video Inputs
- Desk Top Stand as standard.
- Optional VESA Wall Mount and Ceiling Mount

MSRP = \$3780.00

Accy Spec

OPTIONS

MSRP

IK-WB4780	Slim Tilt Wall Mount.	\$134.00
-----------	-----------------------	----------

*****WARRANTY INFORMATION*****

Ikegami USA offers you a limited warranty of the following product sold and effective in US will be free from defects in material or workmanship as follows.

A. Limited warranty- For a period of a following year from the date of purchase, Ikegami will not charge you the parts and labor charges, but you must pay one way shipping freight. After this warranty period, you must pay all parts, shipping and labor charges.

B. Repairs- For a period equal to the remainder of the original limited warranty period on an original product or for the 180 days after the date of repair/replacement, whichever is longer, Ikegami will repair or replace defective parts or products used in the repair or replacement of the original product under this limited warranty

Proof of purchase in the form of a bill of sale or received invoice warranty repair document which is evidence that the product is within the warranty period must be presented to obtain warranty service.

This limited warranty does not cover and is void with respect to the following.

(i) Products which have been improperly installed, repaired, maintained or modified.

(ii) Products which have been subjected to misuse, abuse accident, physical damage, abnormal operation, improper handling and storage, neglect, exposure to fire, water or excessive moisture or dampness or excessive changes in climate or temperature.

(iii) Products operated outside published maximum rating

(iv) Cosmetic damage, etc.

CCTV Camera-

ICD-525S / 879S / 809 , ISD-A14S/A15S/A33S/A35S = 10 Year *

IPD-BX11, DM11, VR11, DM300 = 6 Year *

ECO-D12-2812, HD47IP, HDB2812, HDMB-43, = 5 Year *

ICD-E11-EF/N = 3 Year *

Monitors LCD / LCM / ULM = 5 Year Limited Warranty Parts & Labor. *

* Need to register at Ikegami web-site <https://www.ikegami.com/security>

3 Year Warranty:

all EE Cameras/DVR/NVR, except listed below

2 Year Warranty: EK-HD24IR, all EE-HDD... & EE-PTZ...

1 Year Warranty: all EE-PoE... & EE-ACV...

1 Year Warranty: ULE Monitors

Other Ikegami Products = 1 Year Limited Warranty Parts & Labor

Any Vendor Products- As per Vendor's Warranty

For repair return, please obtain Repair RA# by emailing SERVICE@IKEGAMI.COM

Restocking Charges

Please Be Advised of the following Restocking Changes that will apply to all Returned merchandise

0 - 30 days = 10% restocking fee

30 - 90 days = 15% restocking fee

90 - 120 days = 25% restocking fee

Request for return of Merchandise After Four (4) months will not be Accepted

To Avoid Additional Charges All Returns Must be in Brand New Condition, including Original Box with all accessories.

Any of the missing items will be charged. For return, obtain a Credit RA # at 201-368-9171

Out of Box Failure

90 Days from Delivery date to EndUser. Delivery Date Must be Properly Documented with Proof.

Obtain Authorized Ikegami RA Number for Replacement, ground shipping, at No Charge.

Customer Service at service@ikegami.com or 201-368-9171

ANY FAILURE PRODUCTS MUST BE RETURNED IN ORIGINAL BOX WITH STANDARD ACCESSORIES. THIS POLICY DOES NOT APPLY TO ANY PRODUCT THAT HAS EXTERIOR DAMAGE, OR HAS BEEN DEFACED, OR WHICH HAS BEEN SUBJECT TO MISUSE, ABUSE, TAMPERING, INCORRECT VOLTAGE, IMPROPER, INSTALLATION, SERVICE OR HANDLING, OR WHICH HAS BEEN SERVICED BY SOMEONE OTHER THAN IKEGAMI.

Ikegami Labor Charges for Repair : IN-HOUSE WORK : \$95.00 per HOUR. Prices are subject to change

Ikegami Electronics (U.S.A.), Inc.
300E Route 17S, Mahwah, NJ 07430
ph: (800) 368-9171 fax (201) 569-1626
email: CCTV@ikegami.com [URL: www.ikegami.com/security]