



VZ-PVM-P4W3 ADVANTAGES

- 32" Mega Pixel IP Full HD 1080p Resolution
- Onvif Profile S Compliant
- Built-in Android OS w/CMS for Digital Signage
- Protective Glass / IPS Panel for Wider Viewing Angle - 178° / 178°
- Camera Motion Sensor
- Auto Power Recovery
- Built-in 2 Mega Pixel Camera / 720 TV Line - Analog Video Resolution
- BNC(NTSC/PAL), RJ-45, Audio
- "A" Commercial Grade LED
- Supports Dual Voltage (110V AC and 24V DC)
- 3-Year Warranty




MODEL # VZ-PVM-P4W3	
DISPLAY	
Screen Size	32"
Max. Resolution	1080 x 1920 @60Hz
Pixel Pitch	0.36375mm x 0.36375mm
Brightness	250cd/m²(Typical)
Contrast Ratio	4000:1
Aspect Ratio	9 : 16
Viewing Angle (H/V)	178° / 178°
Display Color	16.7 Million
Response Time	< 6.5 ms
INTERFACE	
RJ 45 (TCP/IP)	2 (CMS, IP Camera)
CVBS (Camera) Out	1
Audio Out	1
SD Card (TF) In	1 (Max. 64GB)
USB In	3
ANDROID BOARD SPEC	
Android OS	Ver. 6.1.
CPU	Quad Core, ARM Cortex-A53 64bit
RAM / Flash Memory	2GB DDR4 / 32 GB
AUDIO	
Built in Speaker	5W x 2
DIMENSIONS & WEIGHT	
Outline Dimension (W x H x D)	17.11" x 32.08" x 2.92"
	434.7 mm x 815 mm x 74.3 mm
Net Weight / Gross Weight	39.68 lbs (18.00 kg) / 50.7 lbs (23.0 kg)
MOUNT	
VESA	200mm x 200mm / M6 x L8 Screws
GENERAL	
Transmitter - IR Remote Control	YES
Power Electrical Ratings	AC 110~240V (50/60Hz) 24V DC / 3A
Consumption	≤ 50 W
Warranty Parts/ Labor	3 Year / 3 Year
Operating Temperature	14 - 122°F / -10 ~ 50°C
Regulation	FCC(A), CE, RoHS
Compatible Mounts Wall	VZ-AM012
Ceiling	VZ-CM308, VZ-CMKit-01, VZ-CMKit-02

CAMERA	
Camera Type	2.1 Mega Pixel IP Camera
Image Sensor / Encoder Chipset	SONY IMX290 / Hi3516D
Lens	DC Auto Iris 2.8~12mm Vari-focal Lens
Total / Effect Pixel	1080(H) x 1920p(V) 30fps
Video Compression	H.264, MJPEG, CBR, VBR support
Video Out	1ch CVBS (NTSC/PAL) / 1ch RJ-45 output
Motion Detection	Support
Ethernet Port	10 / 100 Base-T
Web Application	IE 6 ~ 11, Firefox
Network Protocol	TCP/IP, UDP, SMTP, HTTP, FTP, PPPOE, DHCP, DNS, DDNS, UPNP, RTP, RTSP
Integration Protocol	ONVIF 2.4 (supported)
Function	2D/3D NR, D-ZOOM, DPC, HLC/BLC, Defog, D/N, WDR, AGC, AWB


Contact ViewZ

- Address : 177 W. Orangethorpe Ave., Placentia, CA 92870
- Phone : (714) 996-1177, Fax : (714) 996-1138
- Sales : sales@viewzusa.com
- Specification subject to change without notice.

DIMENSIONS



INTERFACE




1. TF Card IN
2. USB IN x 3
3. RJ 45 (Ethernet) IN
4. AUDIO OUT
5. CAMERA IP(Ethernet) OUT
6. CAMERA CVBS OUT
7. AC 110V IN
8. DC 24V IN
9. DC 12V OUT

Contact ViewZ

- Address : 177 W. Orangethorpe Ave., Placentia, CA 92870
- Phone : (714) 996-1177, Fax : (714) 996-1138
- Sales : sales@viewzusa.com
- Specification subject to change without notice.

Content Management Software - Feature




Main Features

1. **Various Source Selection**
Built-in Camera , RSS, News Ticker, Live Streaming Video, HTML, Text, Clock, Video & Image files
2. **Profile Management**
Display Aspect Ratio / Direction (Rotate) / Size
3. **Schedule Management**
Hour / Day / Week
4. **Support Media File Format**
Video: AVI, MP4, MKV
Image: JPG, PNG, BMP
5. **Play Log Record**
Record the Content Display Time

Contact ViewZ

- Address : 177 W. Orangethorpe Ave., Placentia, CA 92870
- Phone : (714) 996-1177, Fax : (714) 996-1138
- Sales : sales@viewzusa.com
- Specification subject to change without notice.

Content Management Software - System Configuration



Powerful Remote Control

One Server Control Unlimited Smart AD PVMs

ViewZ Smart AD PVM Content Management Software(CMS) allows the administrator to control every Smart AD PVM in the organization's Intranet or Internet. From a centralized location, the signage contents that reside on a centralized server would be distributed to multiple units/locations either manually or automatically based on a set schedule

Contact ViewZ

- Address : 177 W. Orangethorpe Ave., Placentia, CA 92870
- Phone : (714) 996-1177, Fax : (714) 996-1138
- Sales : sales@viewzusa.com
- Specification subject to change without notice.