


ConteraIP™ Camera Accessories

Accessories for ConteraIP Series Mounting Solutions



Mounting Configurations



Compatible Cameras



ConteraIP™ Indoor Dome

ConteraIP™ Outdoor Dome

ConteraIP™ Panoramic

ConteraIP™ Bullet

ConteraIP™ Micro Bullet


CP-CAP-W
Mounting Cap (White)



- Features:**
- Easy Installation and Superior Design
 - Heavy Duty Enclosure Protection for Applications in Harsh Environments
 - Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility	Compatible with 1.5" NPT standard
	Works with ConteraIP™ Panoramic

Mechanical	Casing	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	Ø 5.62" (142.8mm) x 1.4" H (35.5mm)
	Weight	w/o Camera 0.53lbs (0.238kg)




MD-CAP-W
Mounting Cap (White)



- Features:**
- Easy Installation and Superior Design
 - Heavy Duty Enclosure Protection for Applications in Harsh Environments
 - Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility	Compatible with 1.5" NPT standard
	Works with ConteraIP™ Outdoor Dome

Mechanical	Casing	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	Ø 6.06" (154.1mm) x 2.57" H (65.3mm)
	Weight	w/o Camera 1.02lbs (0.465kg)





CID-CAP-W
Mounting Cap (White)



- Features:**
- Easy Installation and Superior Design
 - Lightweight Construction

Compatibility	Compatible with 3/4" NPT standard	
	Works with ConteraIP™ Indoor Dome	

Mechanical	Casing	Plastic	
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)	
	Dimensions	Ø 4.92" (125mm) x 2.83" H (72mm)	
	Weight	w/o Camera	0.22lbs (0.1kg)




CID-CMT-W
Pendant Mount with Built-In Junction Box Adapter (White)



- Features:**
- Easy Installation and Superior Design
 - Lightweight Construction
 - Includes CID-CAP-W Mounting Cap for ConteraIP Indoor Dome

Compatibility	Compatible with 1/2" NPT standard	
	Works with ConteraIP™ Indoor Dome	

Mechanical	Casing	Die-cast aluminum and plastic	
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)	
	Dimensions	Ø 4.92" (125mm) x 7.9" H (201.2mm)	
	Weight	w/o Camera	1.23lbs (0.56kg)



AV-WMJB-W



Wall Mount Bracket with Junction Box (White)



- Features:**
- Easy Installation and Superior Design
 - Heavy Duty Enclosure Protection for Applications in Harsh Environments
 - Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility	Compatible with 1.5" NPT Female
	Works with ConteraIP™ Outdoor Dome and ConteraIP™ Panoramic

Mechanical	Casing	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	7.68" L (195.05mm) x 4.69" W (119.2mm) x 4.69" W (119.2mm)
	Weight	w/o Camera 2.49lbs (1.13kg)



CID-WMT-W



Wall Mount with Built-In Junction Box Adapter (White)



- Features:**
- Easy Installation and Superior Design
 - Lightweight Construction
 - Includes CID-CAP-W Mounting Cap for ConteraIP Indoor Dome

Compatibility	Compatible with 1/2" NPT standard
	Works with ConteraIP™ Indoor Dome

Mechanical	Casing	Die-cast aluminum and plastic
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	6.85" L (174mm) x 4.92" W (125mm) x 5.25" H (133.32mm)
	Weight	w/o Camera 1.1lbs (0.5kg)



AV-JBA-W



Square Standard Junction Box (White)



- Features:**
- Easy Installation and Superior Design
 - Heavy Duty Enclosure Protection for Applications in Harsh Environments
 - Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility	Compatible with 3/4" NPT standard
	Works with ConteraIP™ Bullet

Mechanical	Casing	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	4.7" L (120mm) x 4.7" W (120mm) x 1.89" H (48.1mm)
Weight	w/o Camera	1.3lbs (0.63kg)



MCB-JBA-W

Round Junction Box Adapter (White)






Gasket included (not shown in photo)

- Features:**
- Easy Installation and Superior Design
 - Heavy Duty Enclosure Protection for Applications in Harsh Environments
 - Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility	Compatible with 1/2" NPT standard
	Works with ConteraIP™ Micro Bullet and AV-EBAS-W

Mechanical	Casing	Die-cast aluminum
		IP66 weather proof standard
		IK-10 impact-resistant
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	Ø 4.0" (101.5mm) x 1.34" H (34mm)
Weight	w/o Camera	0.74lbs (335g)



AV-EBAR-W

Round Electrical Box Adapter Plate




Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility**	Compatible with 3/4" NPT standard
	Works with CID-CMT-W and MCB-JBA-W

Mechanical	Casing	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	Ø6" (152.4mm) x 0.15" W (4mm)
	Weight	w/o Camera 0.4lbs (0.18kg)



Hole No.	Model Compatibility
1	CID-CMT-W, MCB-JBA-W
2	Not Used for ConteraIP™ Cameras or Accessories
3	Not Used for ConteraIP™ Cameras or Accessories
4	Not Used for ConteraIP™ Cameras or Accessories
5	4S Box
6	4-11/16" Square Box
7	Single Gang Box
8	Double Gang Box
9	Not Used for ConteraIP™ Cameras or Accessories

Quick Installation:

1. Pass cables through the center hole of the adapter plate.
2. Attach the adapter plate to the electrical box (sold separately) using the appropriate hardware and mounting holes.
3. Attach the compatible part noted above.

AV-EBAS-W

Square Electrical Box Adapter Plate




Features:

- Easy Installation and Superior Design
- Heavy Duty Enclosure Protection for Applications in Harsh Environments
- Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility**	Compatible with 3/4" NPT standard
	Works with ConteraIP™ MicroBullet, ConteraIP™ Bullet, ConteraIP™ Panoramic, AV-JBA-W, AV-WMJB-W, AV-PMJB-W, and CID-WMT-W

Mechanical	Casing	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	4.7" L (120mm) x 0.15" W (4mm) x 4.7" H (120mm)
	Weight	w/o Camera 0.33lbs (0.13kg)



Hole No.	Model Compatibility
1	AV-JBA-W, AV-WMJB-W, AV-PMJB-W
2	AV-WMJB-W Bracket, AV-PMJB-W Bracket, ConteraIP™ Bullet, ConteraIP™ Panoramic
3	CID-CMT-W
4	ConteraIP MicroBullet
5	Single Gang Box
6	Double Gang Box
7	4S Box (4" Square, 4" Octagonal)
8	4-11/16" Square Box

Quick Installation:

1. Pass cables through the center hole of the adapter plate.
2. Attach the adapter plate to the electrical box (sold separately) using the appropriate hardware and mounting holes.
3. Attach the compatible part noted above.

See Next Page for Ordering Information



AV-PMA-W
Pole Mount Adapter




- Features:**
- Easy Installation and Superior Design
 - Heavy Duty Enclosure Protection for Applications in Harsh Environments
 - Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility Works with AV-WMJB-W, AV-JBA-W, and CID-WMT-W

Mechanical	Casing	Die-Cast Aluminum	
		IP66 Weather Proof Standard	
		IK-10 Impact-Resistant	
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)	
	Dimensions	2.6" L (67.9mm) 5.01" x W (127.32mm) x 4.92" H (125mm)	
	Weight	w/o Camera	0.32lbs (0.15kg)





AV-CRMA-W
Corner Mount Adapter



- Features:**
- Easy Installation and Superior Design
 - Heavy Duty Enclosure Protection for Applications in Harsh Environments
 - Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility Works with AV-WMJB-W, AV-JBA-W, and CID-WMT-W

Mechanical	Casing	Die-Cast Aluminum	
		IP66 Weather Proof Standard	
		IK-10 Impact-Resistant	
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)	
	Dimensions	7.35" W (186.7mm) x 10.74" W (272.8mm) x 4.92" H (125mm)	
	Weight	w/o Camera	0.59lbs (0.27kg)



AV-PMJB-W


Pendant Mount Bracket with Standard Junction Box



- Features:**
- Easy Installation and Superior Design
 - Heavy Duty Enclosure Protection for Applications in Harsh Environments
 - Die-Cast Aluminum is Resistant to Impact and Salt Damage

Compatibility	Compatible with 1.5" NPT Female
	Works with ConteraIP™ Outdoor Dome and ConteraIP™ Panoramic

Mechanical	Casing	Die-Cast Aluminum
		IP66 Weather Proof Standard
		IK-10 Impact-Resistant
	Color	Arecont Vision® White (Pantone® Cool Gray 1C)
	Dimensions	4.69" W (119.20mm) x 4.69" W (119.20mm) x 5.87" H (149.31mm)
Weight		w/o Camera 2.12lbs (0.96kg)



See Next Page for Ordering Information



Compatible Accessories by Camera Model

ConteraIP™ Panoramic	CP-CAP-W, AV-WMJB-W, AV-PMJB-W
ConteraIP™ Bullet	AV-JBA-W
ConteraIP™ Micro Bullet	MBC-JBA-W
ConteraIP™ Indoor Dome	CID-CAP-W, CID-CMT-W, CID-WMT-W
ConteraIP™ Outdoor Dome	MD-CAP-W, AV-WMJB-W, AV-PMJB-W

Accessory Model Numbers

CID-CAP-W	Mounting Cap for ConteraIP™ Indoor Dome (Arecont Vision® White)
CP-CAP-W	Mounting Cap for ConteraIP™ Panoramic (Arecont Vision® White)
MD-CAP-W	Mounting Cap for ConteraIP™ Outdoor Dome (Arecont Vision® White)
CID-CMT-W	Pendant Mount with Built-In Junction Box Adapter (Arecont Vision® White) <i>(Includes CID-CAP-W, Box Fits 1/2" NPT)</i>
CID-WMT-W	Wall Mount with Built-In Junction Box Adapter (Arecont Vision® White) <i>(Includes CID-CAP-W, Box Fits 1/2" NPT)</i>
AV-WMJB-W	Wall Mount Bracket with Standard Junction Box (Arecont Vision® White) <i>(Fits Cap 1.5" NPT; Box Fits 3/4" NPT)</i>
AV-JBA-W	Standard Junction Box (Arecont Vision® White)
MCB-JBA-W	Round Junction Box for ConteraIP™ Micro Bullet (Arecont Vision® White)
AV-EBAR-W	Round Electrical Box Adapter Plate for ConteraIP™ Series Cameras (Arecont Vision® White)
AV-EBAS-W	Square Electrical Box Adapter Plate for ConteraIP™ Series Cameras (Arecont Vision® White)
AV-PMA-W	Pole Mount Adapter (Arecont Vision® White)
AV-CRMA-W	Corner Mount Adapter (Arecont Vision® White)
AV-CRMA-W	Corner Mount Adapter (Arecont Vision® White)
AV-PMJB-W	Pendant Mount Bracket with Standard Junction Box (Arecont Vision® White)