



# AIA-C01TRF

Traffic (ITS) AI pack



## Key Features

- Detect and classify vehicles (car, truck, bus, motorcycle, bicycle)
- Wrong-way vehicle and illegal u-turn detection
- Vehicle speed detection
- Traffic jam and stopped vehicle detection
- Pedestrian detection
- Vehicle counting
- Vehicle turning movement counts
- Vehicle queue analysis
- Vehicle detection heatmap

## Compatible Devices



PND-A9081RV



PND-A9081RF



PNV-A9081R



PNO-A9081R



PND-A6081RV



PND-A6081RF



PNV-A6081R



PNO-A6081R



PNB-A9001



PNB-A6001

# AIA-CO1TRF

Traffic (ITS) AI pack

## Specifications

Application	
Type	Camera application
Installation	Hanwha Vision open platform v5.x.x or higher
Solution	Traffic(ITS) pack
Version	v2.1
Analytics	
Classified object type	Vehicle, License plate
Settings	Sensitivity, Min/max size setting, Exclude area setting, Schedule
BestShot	Support
Attributes	Vehicle(Type: car/bus/truck/motorcycle/bicycle)
Analytics events	Object detection, Line crossing(Direction), Virtual area(Loitering/Intrusion/Enter/Exit) Stopped vehicle detection(Up to 3 hours, 8 areas, Select vehicle types, Schedule option) Traffic jam detection(Vehicle average speed per area, 4 areas) Vehicle speed detection(Up to 40kph/25mph, Select vehicle types, 3 areas) Pedestrian detection(Person/Bicycle, 3 areas) Wrong-way detection(3 areas, Select vehicle types) Fallen object detection(for tunnel, 3 areas) Vehicle queue event(Occupancy per zone, High/Medium event, 3 areas)
Event action (Cameras event rule setup)	When alarm trigger occurred - File upload(image): e-mail/FTP - Notification: e-mail - Recording: SD/SDHC/SDXC or NAS recording at event triggers - Alarm output - Handover: PTZ preset, send message by HTTP/HTTPS/TCP - Audio clip playback - MQTT: publication
Statistics	- Multi-lane vehicle turning movement counts (straight, left/right, u-turns): Up to 20 rules, Select vehicle (Type: car/bus/truck/motorcycle/bicycle) - Vehicle counting : Vehicle(Type: car/bus/truck/motorcycle/bicycle, Two lines with direction) - Vehicle queue management : Real time zone counting, Generate events based on zone-specific thresholds. - Vehicle heatmap
Statistics report	Reporting to FTP and Email by schedule XLSX, TXT file for counting, PNG for Heatmap data
Additional metadata	Vehicle average speed in the zone (Traffic jam detection) Vehicle speed per vehicle (Vehicle speed detection) Occupancy real-time counting(Vehicle queue management)
Supported devices	
Cameras	PND-A9081RV/A9081RF, PNV-A9081R, PNO-A9081R, PND-A9081RVX, PNV-A9081RX, PNB-A9001 - Firmware version : 2.21.15 or higher PND-A6081RV/A6081RF, PNV-A6081R, PNO-A6081R, PNB-A6001 - Firmware version : 2.21.08 or higher
Integration	
AI search	Genetec Security Center - 5.10 + DP 10.14 or higher, 5.11 + DP 11.3 or higher, 5.12 or higher - Hanwha Plug-in for Genetec_v1.04.00 or higher Milestone - DP 12.2a or higher - Hanwha Plug-in for Milestone_v1.05.00 or higher
Application Programming Interface	Hanwha Vision OpenAPI

Design and specifications are subject to change without notice. The latest product information / specification can be found at [HanwhaVision.com](http://HanwhaVision.com).

Hanwha Vision is formerly known as Hanwha Techwin.

© Hanwha Vision CO., LTD. All rights reserved.

---

License	
Trial version	Supported (60days) model code : AIA-C01TRF-T60
Sales version	model code : AIA-C01TRF

---