

Network Cameras

Smart IP, smarter protection












Supreme Network Capabilities

Unmatched Clarity and Coverage

The next-generation network cameras deliver superior HDTV video quality up to 5-megapixel resolution with full frame rates and larger area coverage, providing users with the clearest video images and the widest field of view possible in the finest detail.







Conventional

HDTV 1080p

H.264 Compression

H.264 is a cost-saving compression format which consumes very little storage and bandwidth resources while maintaining premium image quality. Multiple streams can also be provided for different quality needs and bandwidth limitations.



	H.264	MPEG4	MJPEG
Image quality	High	Medium	Low
Image complexity	High	Medium	Low
Bandwidth consumption	Small	Medium	Large



Lumii[™] Technology

All network cameras are built on the strength of our proprietary Lumii[™] Technology. Lumii[™]'s high sensitivity, noise reduction and uniform light intensity bring superior imaging performance in difficult lighting conditions on a 24/7 basis.

Lumii™ Optimizes Night Performance

All cameras are enhanced by MESSOA's proprietary Lumii™ Technology which optimizes surveillance image quality in low light settings conditions.





Competing brand

MESSOA

Mechanical ICR Day / Night Function

Featuring mechanical ICR filter, the camera automatically switches between monochrome and color mode according to the light intensity and enables the camera to deliver razor-sharp images during both day and night.





Day mode

Night mode

Uniform Light Intensity

IR illumination is further enhanced by Lumii Technology to deliver effective, even lighting output, while avoiding flares at closer range to provide greater visibility across the entire scene at night.





Competing brand

MESSOA

HyperDynamic

The HyperDynamic improves from conventional WDR (Wide Dynamic Range), featuring more sophisticated algorithm and enhanced sensitivity to allow the camera capturing a clear shot of the monitored scene under high-contrast lighting.






HyperDynamic off

HyperDynamic on

MegaSmart[™] Intelligent Engine

Smart Focus

Smart Focus helps users verify whether the focus is achieved at a user-defined spot in the monitored scene and remotely fine-tune the focus until image quality is optimized as the indicator turns green.



Smart Encoding


By defining regions of interest (ROI) for higher video quality, this feature helps users see details where needed and utilize the bandwidth and storage in the most efficient manner.



ROI: higher bit rate

Intelligent Detection

The network cameras feature versatile intelligent capabilities of detecting face, sound, blur, motion, Ethernet disconnection and other external user-defined parameters, allowing users to get immediately informed and to keep track of the events when triggered. Configurable actions include email notification and video/image recording uploaded to an FTP server or the local storage (applicable when a memory card is inserted).



Dual BIOS

The network cameras are designed with dual BIOS technology to reinforce camera stability and reliability by ensuring the cameras can automatically recover from any BIOS failure in case of sudden power outage or system crash.



ONVIF & PSIA

The MESSOA network cameras are both ONVIFand PSIA-compliant that guarantees full interoperability with other branded network video solutions for enhanced system integration and scalability.





NCB750 1MP Fixed lens 4mm 30fps@1280x800 ICR day/night



NCB855PRO 2MP 30/25fps@1920x1080 ICR day/night



NCB858 5MP 30/25fps@1920x1080 ICR day/night



NCC700 1.3MP Fixed lens, 4.3mm 30fps@1280x1024 Digital day/night



NCC800 (WL) 2MP Fixed lens, 3.1mm 30/25fps@1920x1080 Digital day/night 10m(33ft) IR, Wi-Fi

Dome Cameras



NDR720 1MP Fixed lens, 4mm 30fps@1280x800 ICR day/night 10m(33ft) IR



NDF820 2MP Fixed lens, 4mm 30/25fps@1280x720 Digital day/night



NDF820PR0 2MF Fixed lens, 4mm 30/25fps@1920x1080 Digital day/night



NDF821 2MP Vari-focal lens, 3-9mm 30/25fps@1280x720 ICR day/night



NDF821PR0 2MP Vari-focal lens, 3-9mm 30/25fps@1920x1080 ICR day/night



NDR891PRO 2MP Vari-focal lens, 3-9mm 30/25fps@1920x1080 ICR day/night, 25m(82ft) IR IP67. IK10



NDF831 2MP Vari-focal lens, 3-9mm 30/25fps@1280x720 ICR day/night IP67, IK10



NDF831PR0 2MP Vari-focal lens, 3-9mm 30/25fps@1920x1080 ICR day/night IP67. IK10



NDR891 2MP Vari-focal lens, 3-9mm 30/25fps@1280x720, ICR day/night, 25m(82ft) IR IP67, IK10



NDF301 3MP Motorized lens,3-9mm 30/25fps@1920x1080 ICR day/night

Bullet Cameras



NDR302 3MP Motorized lens, 3-9mm 30/25fps@1920x1080 ICR day/night, 15m(49ft) IR IP66



NCR770 1MP Fixed lens, 4.2mm 30fps@1280x800 ICR day/night, 7m(23ft) IR IP67



NCR870 2MP Fixed lens, 3.1mm 30/25fps@1280x720 ICR day/night, 25m(82ft) IR IP67



NCR875PRO 2MP Vari-focal lens, 3-9mm 30/25fps@1920x1080 ICR day/night, 25m(82ft) IR IP67. IK10



NCR878 5MP Vari-focal lens, 3-9mm 30/25fps@1920x1080 ICR day/night, 20m(65ft) IR IP67. IK10

P/T & PTZ Cameras



NDZ760 1.3MP Fixed lens, 4.2mm 30fps@1280x1024 ICR day/night, 3m(11ft) IR



NIC910HPRO D1 216X, 30/25fps@Full D1 ICR day/night IP67, IK10



NIC930HPRO D1 336X, 30/25fps@Full D1 ICRday/night IP67, IK10



NIC950HPRO D1 432X, 30/25fps@Full D1 ICR day/night IP67, IK10



NIC990 2MP 240X, 30fps@1920x1080 ICR day/night IP67, IK10







































Corporate Headquarters

3F., No.2-1, Wuquan Road, New Taipei Industrial Park, Wugu District, New Taipei City 24886, Taiwan, R.O.C. Tel: +886-2-2298-3908 Fax: +886-2-2298-3909

E-mail: info@messoa.com

USA Office

13611 12th St, Unit B Chino, CA 91710, USA Tel: +1-909-590-5955 Fax: +1-909-590-2374 E-mail: info@messoa.com

China Office

Room 301, Yuanzhong Office Building, No.2007 Hongmei Rd., Xuhui District, Shanghai 201103, China Tel: +86-21-6495-9236 Fax: +86-21-6495-9238

E-mail: infoCHN@messoa.com

Japan Office

8F Salute Bldg 72 Yoshidamachi, Naka-Ku Yokohama Kanagawa 231-0041, Japan Tel: +81-45-2500680

Fax: +81-45-2500681 E-mail: info@messoa.com

2013-09-1000 version

All brand names and registered trademarks referred in this document are the property of their respective owner(s). All designs and specifications are subject to change without prior notice.